



Interstate Management Program for the  
Draft FY2023 STIP for the DVRPC  
Pennsylvania Subregion

This Page Intentionally Left Blank

## I-95 Reconstruction Project Roadmap

The I-95 Corridor is home to many regional destinations. These destinations include employment centers like Center City Philadelphia, major transportation/port facilities like the Philadelphia International Airport and several port terminals, and sports, recreational, and entertainment venues. The corridor also provides access to portions of New Jersey and Delaware via connections with other Interstates and state routes. This corridor is a limited access facility built in the 1960s, with major sections still under construction in the 1970s and the Girard Point Bridge not opening until the middle of the 1980s.

More than \$2.7 billion has been programmed for PennDOT's long-term, multiphase initiative to rebuild and improve approximately eight miles of I-95 between Interstate 676 and Cottman Avenue north of Center City Philadelphia in Pennsylvania, also known as Sector A. Over the next decade, PennDOT will continue to focus on reconstructing this eight-mile stretch of Interstate 95. The five sections that comprise what is known as "Sector A" (GIR, CPR, BSR, BRI, and AFC) are broken out into more than 40 individual subprojects with separate MPMS#s, most of which appear in the IMP, and some of which appear in the Regional Highway Program of the DVRPC TIP. As of the publication of the FY2023 TIP, the following sections are currently under construction: the Cottman/Princeton Interchange (CPR), the Betsy Ross Bridge/Aramingo Avenue Interchange (BRI), the Bridge Street Interchange (BSR), from the Frankford Creek, south of the Betsy Ross Interchange, to Allegheny Avenue (AFC), and the Girard Avenue Interchange (GIR). Table 70: on the next page, shows a breakdown of the individual projects and programming amounts in the FY2023 STIP.

PennDOT has a number of projects that are smaller in scope, but significant nonetheless, presently in design or under construction on I-95 in Philadelphia, Bucks County, and Delaware County (Sectors B, C, and D), as well as some that are "off-line", e.g., not on the I-95 mainline, that provide benefit, or are required for I-95 roadway construction improvements in the corridor. There is more work still yet to be added to the region's TIP that will methodically rebuild the entire Interstate over time. As engineers and contractors redesign and rebuild I-95 and its interchanges, planners and community groups are exploring ideas for creative, green, and sustainable ground-level enhancements for those living and working in the neighborhoods along the corridor so that appropriate pedestrian, bicycle, and transit facilities along the corridor may also be expanded, depending on the particular construction section. For example, a major enhancement along the corridor will cap I-95 and Columbus Boulevard near Penn's Landing and will reconnect Center City with the Delaware River Waterfront.


The I-95 corridor in Pennsylvania is a complex network of bridge structures and roadway. Of the approximately 40.7 miles of I-95 in Pennsylvania, 29 percent is located on bridge structures, with the remaining being at-grade roadway. Both assets are quickly deteriorating and in need of major rehabilitation. Some segments are beyond the point of maintenance. Sector A projects pose particular design, construction, and traffic management challenges, given their location within densely populated Philadelphia neighborhoods and their proximity to port facilities, an active major north-south rail line, and the Delaware River waterfront.

Table 70: I-95 FY2023 STIP Funding

|   | Sections                                 | Subsections                              | MPMS #  | Limits (Project Title)   | Amount of Funds Programmed in the<br>FY2023 STIP for PA (\$000)                                  |                          |                         |                            |
|---|--|--|---|--|--|--------------------------|-------------------------|----------------------------|
|   |  |  |   |  | First FY<br>(2023i2026)  | Second FY<br>(2027–2030) | Third FY<br>(2031–2034) | Total Amount<br>Programmed |
| SECTOR A  | Cottman-Princeton Interchange (CPR)      | CP3                                      | 80014   | I-95, Utility Relocation and Surface Sts   | 44,000   |                          |                         | 44,000                     |
|   |  | BSR                                      | 47811   | I-95: Orthodox to Levick Sts. (Design) also known as the Bridge Street Ramps Section                           | 24,700   |                          |                         | 24,700                     |
|   |  | BS1                                      | 79908   | I-95: Kennedy Street to Levick Street, and the I-95S off-ramp at the Bridge Street interchange                 | 9,297  |                          |                         | 9,297                      |
|   | Levick Street to Bridge Street (BSR)     | BS2                                      | 79910   | I-95: North of Margaret Street to Kennedy Street, and the I-95N on-ramp at the Bridge Street interchange       | 127,900  | 110,000                  |                         | 237,900                    |
|   |  | BS3                                      | 87784   | Aramingo Avenue from Duncan Street to Tacony Street; Harbison Avenue from Tacony Street to the Amtrak overpass | 7,096  |                          | 41,000                  | 48,096                     |
|   |  | BS5                                      | 103563  | I-95 Bridge Street Ramps   | 55,015   | 48,065                   | 34,642                  | 137,722                    |
|   | Bridge Street to Betsy Ross Bridge (BRI) | BRI                                      | 47812   | I-95: Betsy Ross Interchange (Design)  | 21,000   |                          |                         | 21,000                     |
|   |  | BR2                                      | 79904   | I-95N: Betsy Ross Interchange (from north side of Wheatsheaf Lane to north side of Orthodox St. Crossing)      | 27,626   |                          |                         | 27,626                     |
|   |  | BR3                                      | 79905   | I-95N & I-95S: Betsy Ross Mainline construction from Wheatsheaf Lane to I-95 north of Margaret St.             | 102,000  | 120,000                  | 65,800                  | 287,800                    |
|   |  | BR4                                      | 103559  | I-95 Betsy Ross Mainline SB  | 600  | 190,020                  |                         | 190,620                    |
|   |  | BR5                                      | 103560  | I-95 Betsy Ross Conrail Bridges  | 3,700  | 46,000                   |                         | 49,700                     |
|   |  | BR6                                      | 103561  | I-95 Betsy Ross Interchange Drainage   |  | 8,100                    |                         | 8,100                      |
|   |  | Betsy Ross Bridge to Girard Avenue (AFC) | AFC   | 47813  | I-95: Ann St. to Wheatsheaf Lane/Frankford Creek (AFC) (Design)                                  | 17,000                   | 36,100                  |                            |
|   | AF2                                      |  | 79912   | I-95: Allegheny Ave. Interchange   | 8,800  |                          |                         | 8,800                      |
|   | AF3                                      |  | 103557  | I-95N Ann St. to Wheatsheaf Lane, Allegheny Ave. South of Frankford Creek                                      | 76,100   | 120,000                  | 36,000                  | 124,100                    |
|   | AF4                                      |  | 103558  | I-95SB Ann St. to Wheatsheaf Lane  |  | 101,560                  | 99,700                  | 201,260                    |
|   |  |  | 115687  | I-95: Allegheny & Castor Ave Int.  | 45,000   |                          |                         | 45,000                     |
|   | GIR                                      |  | 17821   | I-95: Shackamaxon - Ann Sts. (Design)  | 54,000   | 7,000                    |                         | 61,000                     |
|   | Girard Avenue Interchange (GIR)          | GR1                                      | 79686   | I-95: Columbia Ave. to Ann St.   | This project has been Let for construction and does not have funds programmed in the FY2023 STIP |                          |                         |                            |
|   |  | GR4                                      | 79827   | I-95S: Columbia Ave. to Ann St. (N)  | 13,068   |                          |                         | 13,068                     |
|   |  | GR5                                      | 79828   | I-95: Race to Shackamaxon Sts.   | 61,582   | 180,360                  | 85,701                  | 327,643                    |
|   |  | GR6                                      | 103553  | I-95 Race - Shackamaxon 2 Sts.   | 123,478  | 120,000                  | 37,522                  | 281,000                    |
|   |  | GR8                                      | 103555  | I-95 Corridor ITS  | 23,000   |                          |                         | 23,000                     |
|   |  | GR9                                      | 103556  | I-95 ATMS (GR9)  |  | 41,400                   | 36,000                  | 83,554                     |
|   |  | 95/322-Sector C                          | 15477   | I-95/322/Conchester Hwy. Interchange/Impvts. (322)   | 32,500   | 85,927                   |                         | 118,427                    |
|   |  | 95 - SHU                                 | 17918   | I-95, Transit Improvements/FLEX (Cornwells Heights)  | 1,322  |                          |                         | 1,322                      |
|   |  |  | 92581   | I-95: Pavement Preservation NB   | This project has been Let for construction and does not have funds programmed in the FY2023 STIP |                          |                         |                            |
|   | Other I-95 Projects                      |  | 46959   | I-95 Design Review Manager   | 8,000  | 8,000                    |                         | 16,000                     |
|   |  |  | 92289   | I-95 Consultant Management   | 4,000  |                          |                         | 4,000                      |
|   |  |  | 98207   | I-95 Congestion Management   | 36,400   |                          |                         | 36,400                     |
|   |  | CSXT-Sector C                            | 104343  | US 322 over CSX  | 43,681   | 4,715                    |                         | 52,396                     |
|   |  | CAP                                      | 106264  | I-95 Central Access Philadelphia/Waterfront Access   | 328,432  |                          |                         | 328,432                    |
|   |  |  | 106708  | I-95 Planning Assistance   | 200  |                          |                         | 200                        |
|   |  |  | 106654  | I-95 Transportation Demand Management (TMA)  | 500  |                          |                         | 500                        |
|   |  |  | 107709  | I-95 Bridge Repairs (95/MB4)   | 51,000   |                          |                         | 51,000                     |
|   |  |  | 116391  | I-95 Bridge Rehabilitations  | 15,000   | 15,000                   |                         | 32,000                     |
|   |  |  | 114876  | Studies Line Item  | 8,000  |                          |                         | 8,000                      |
|   |  | 115805                                   | I-95 Bridge Rehab: Island Ave-Phila Navy Yard | 250,000  | 250,000  |                          | 500,000                 |                            |
| Total Amount of Funds Programmed in FY2023 STIP/TIP for PA for I-95 Reconstruction in Philadelphia (\$000): |  |  |   |  |  |                          |                         | 3,456,763                  |

|  |  |
|--|--|
|  | Blue shading denotes project is currently programmed in the DVRPC Regional Highway Program.  |
|  | Orange shading denotes project in the Statewide IMP has been let, and funds for the construction phase have been obligated/encumbered. |
|  | Red shading denotes project in the DVRPC region is currently programmed in the Statewide Interstate Management Program (IMP).          |

Source: DVRPC, 2022



**I95 SECTOR A**  
Map Of Construction Sections

Figure 12: I-95 Sector A Map of Construction Sections



This Page Intentionally Left Blank

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Delaware

MPMS# 15477 I-95/322/Conchester Hwy. Interchange/Impvts. (322) SR:0095

LIMITS: I-95 at Rt. 322

No Let Date

MUNICIPALITIES: Chester City; Chester Township; Upper Chichester Township

MRPID:115

IMPROVEMENT: Intersection/Interchange Improvements

FC: 11; 14; 16

AQ Code:2035M

PLAN CENTER:

IPD: 22

PROJECT MANAGER: EE/J.Arena

CMP: Major SOV Capacity

CMP Subcorridor(s): 4D, 8A

The SR 95, Section 322 project entails the reconfiguration of the interchange connecting two heavily traveled corridors, I-95 and US 322. The I-95 / US 322 interchange, constructed in the late 1960's, employs poor geometry that includes a left-lane on-ramp requiring a major weave across three high volume lanes of traffic. Limited sight distances, minimal acceleration and deceleration ramp lengths, and roadway segments without shoulders compound the fundamental design problems. Consequently, this area has been recognized as a Physical Highway Bottleneck under the FHWA's Significant Traffic Bottleneck Initiative. There are five existing bridges associated with the interchange: I-95 Southbound over US 322 and Ramp A; I-95 Northbound over Ramp A; Ramp N over US 322 and Ramp A; Highland Avenue over I-95 and Engle Street over I-95. The project will involve the replacement of these structures. Other structures in the project vicinity include culverts carrying waterways under I-95. The project limits along I-95 extend from just south of the US 322 interchange to the Commodore Barry Bridge Off Ramp. The US 322 bridge over CSXT, has been broken out to a separate MPMS#104343, and will be funded under the DVRPC TIP. The project limits along US 322 extend from the interchange with Bethel Road to the I-95 interchange. A point of access study will be prepared which will include an evaluation of providing two direct movements that currently are not provided at the interchange: I-95 NB to US 322 WB and US 322 EB to I-95 SB.

A point of access study will be prepared which will include an evaluation of providing two direct movements that currently are not provided at the interchange: I-95 NB to US 322 WB and US 322 EB to I-95 SB.

Alternatives for the interchange will include providing additional auxiliary lanes on I-95 between Highland Avenue and the Commodore Barry Bridge ramps at I-95. I-95 SB may include the existing three through lanes plus an additional fourth auxiliary lane between ramps. I-95 NB may include the existing three through lanes, the existing auxiliary lane and an additional auxiliary lane. Local roadway improvements are also anticipated for Township Line Road. This section of I-95 has ITS equipment and is a crucial link in PennDOT's Traffic and Incident Management System (TIMS) Program. This project will maintain and improvement upon existing ITS equipment along the I-95 corridor and approaching highways.

This project is integral to the Delaware Valley Freight Corridors Initiative.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
|-------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| PE    | 581-IM  | 1,500             |        |        |        |                   |        |        |        |                   |        |        |        |
| PE    | 581-IM  |                   | 1,000  |        |        |                   |        |        |        |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        | 30,000 |                   |        |        |        |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        | 30,000            |        |        |        |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        |                   | 30,000 |        |        |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        |                   |        | 25,927 |        |                   |        |        |        |
|       |         | 1,500             | 1,000  | 0      | 30,000 | 30,000            | 30,000 | 25,927 | 0      | 0                 | 0      | 0      | 0      |
|       |         | Total FY2023-2026 |        | 32,500 |        | Total FY2027-2030 |        | 85,927 |        | Total FY2031-2034 |        | 0      |        |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Delaware

MPMS# 104821 I-476 Travel Management

LIMITS: Between PA 3 and I-95

No Let Date

MUNICIPALITIES: Marple Township; Nether Providence Township; Ridley Township; Springfield Township

MRPID:130

IMPROVEMENT: Signal/ITS Improvements

FC:

AQ Code:2030M

PLAN CENTER:

IPD: 26

PROJECT MANAGER: Gannett/V. Genua

CMP: Major SOV Capacity

:MP Subcorridor(s): 2C, 2D, 4D, 5C

This project will provide for the active management of transportation and demand by providing operational improvements on I-476 between the PA 3 and I-95 interchanges, and on I-95 between the I-476 and US 322 interchanges with a series of measures that will allow for the ability to dynamically manage recurrent congestion based on prevailing and predicted traffic conditions through the following: 1) Dynamic lane assignments, shoulder, and junction control improvements--The shoulders will be dynamically controlled along with travel lanes for opening/closing on a temporary basis in response to increasing congestion or incidents; and 3) Adaptive ramp metering will be used to dynamically adjust signals at the ramp entrances to proactively manage vehicle flow from access roads.

|       |         | TIP Program Years (\$ 000) |        |        |        |                   |        |        |        |                   |        |        |        |
|-------|---------|----------------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| Phase | Fund    | FY2023                     | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
| FD    | 581-IM  |                            |        | 5,100  |        |                   |        |        |        |                   |        |        |        |
| ROW   | 581-IM  |                            |        |        | 300    |                   |        |        |        |                   |        |        |        |
| UTL   | 581-IM  |                            |        |        | 200    |                   |        |        |        |                   |        |        |        |
| CON   | NHPP-IM |                            |        |        |        | 24,000            |        |        |        |                   |        |        |        |
| CON   | NHPP-IM |                            |        |        |        | 24,000            |        |        |        |                   |        |        |        |
|       |         | 0                          | 0      | 5,100  | 500    | 24,000            | 24,000 | 0      | 0      | 0                 | 0      | 0      | 0      |
|       |         | Total FY2023-2026          |        | 5,600  |        | Total FY2027-2030 |        | 48,000 |        | Total FY2031-2034 |        | 0      |        |



# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Delaware

MPMS# 112298 SR 476: I-76 Interchange to MacDade

LIMITS: I-76 Interchange to MacDade Blvd

No Let Date

MUNICIPALITIES: Haverford Township; Marple Township; Nether Providence Township; Radnor Township; Ridley

MRPID:TBD

IMPROVEMENT: Roadway Rehabilitation

FC:

AQ Code:S6

PLAN CENTER:

IPD:

PROJECT MANAGER: Plans/S. Hasan

CMP: Not SOV Capacity Adding

1-476 (Mid County Expressway) in Montgomery and Delaware County is a limited access highway in an urbanized setting. The project is located along I-476, between the I-95 (Delaware Expressway) and I-76 (Schuylkill Expressway), within Delaware and Montgomery Counties, in PennDOT District 6-0. It is an Urban Interstate/Freeway classified roadway located within the National Highway System. It is a divided highway, in the NB and SB directions, with two to three lanes in each direction and inside and outside shoulders of varying width. Portions of the highway are separated by concrete median barrier or grade-separated grassed median.

The project is needed because of the deterioration of the existing bituminous overlay which has reached its useful service life within the project limits. Also the current condition of roadside elements such as drainage inlets, guide rail and signs are in poor condition.

The project will include the following work: milling, concrete base repairs, shoulder repairs as needed, bituminous overlay, saw and seal the overlay, minor grade adjustments may be required for inlets, and selective inlets and drain cleaning. Also, all guide rail will be brought up to current standards and the following work will be completed: new pavement markings, the installation of Raised Pavement Markings (RPMs) delineators and rumble strips, and replacement of damaged or missing signs. One Auxiliary Lane will be lengthened as a part of the project but will remain within the existing footprint. It is anticipated that minor bridge work such as deck and barrier repair, will be necessary and determined as the design progresses.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
|-------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| CON   | NHPP-IM | 26,402            |        |        |        |                   |        |        |        |                   |        |        |        |
| CON   | 581-IM  | 1,200             |        |        |        |                   |        |        |        |                   |        |        |        |
| CON   | NHPP-IM |                   | 20,800 |        |        |                   |        |        |        |                   |        |        |        |
| CON   | 581-IM  |                   | 3,200  |        |        |                   |        |        |        |                   |        |        |        |
| CON   | NHPP-IM |                   |        | 9,700  |        |                   |        |        |        |                   |        |        |        |
| CON   | 581-IM  |                   |        | 1,293  |        |                   |        |        |        |                   |        |        |        |
|       |         | 27,602            | 24,000 | 10,993 | 0      | 0                 | 0      | 0      | 0      | 0                 | 0      | 0      | 0      |
|       |         | Total FY2023-2026 |        | 62,595 |        | Total FY2027-2030 |        |        |        | Total FY2031-2034 |        |        |        |
|       |         |                   |        |        |        | 0                 |        |        |        | 0                 |        |        |        |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Delaware

MPMS# 116225 I-476 Advance Travel Management

#### LIMITS:

No Let Date

**MUNICIPALITIES:** Marple Township; Nether Providence Township; Ridley Township; Springfield Township

**IMPROVEMENT:** Signal/ITS Improvements

**FC:**

AQ Code:S7

**PLAN CENTER:**

IPD:

**PROJECT MANAGER:** Gannett/M. McGuire

**CMP:** Minor SOV Capacity

CMP Subcorridor(s): 2C, 2D

This is an advance project on I-476 that will look to provide some traffic relief through the installation of systems and devices for variable speed limits and queue detection prior to the start of the companion project on I-476, MPMS# 104821.

This project will provide for the active management of transportation and demand by providing operational improvements on I-476 between the PA 3 and I-95 interchanges, and on I-95 between the I-476 and US 322 interchanges with a series of measures that will allow for the ability to dynamically manage recurrent congestion based on prevailing and predicted traffic conditions through the installation of systems and devices for variable speed limits and queue detection. Speeds will be dynamically changed based on road, traffic and weather conditions. Warning signs will be used to dynamically display alerts to drivers that congestion and queues are present.

| TIP Program Years (\$ 000) |         |                   |        |        |        |                   |        |        |        |                   |        |        |        |
|----------------------------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| Phase                      | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
| UTL                        | NHPP-IM | 150               |        |        |        |                   |        |        |        |                   |        |        |        |
| CON                        | NHPP-IM | 6,000             |        |        |        |                   |        |        |        |                   |        |        |        |
|                            |         | 6,150             | 0      | 0      | 0      | 0                 | 0      | 0      | 0      | 0                 | 0      | 0      | 0      |
|                            |         | Total FY2023-2026 |        | 6,150  |        | Total FY2027-2030 |        | 0      |        | Total FY2031-2034 |        | 0      |        |

| Total For Delaware | 2023     | 2024     | 2025     | 2026     | 2023-2026 | 2027-2030 | 2031-2034 |
|--------------------|----------|----------|----------|----------|-----------|-----------|-----------|
|                    | \$35,252 | \$25,000 | \$16,093 | \$30,500 | \$106,845 | \$133,927 | \$0       |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Montgomery

MPMS# 106662 I-76 Integrated Corridor Management

LIMITS: PA Turnpike to US 1

No Let Date

MUNICIPALITIES: Lower Merion Township; Upper Merion Township; West Conshohocken Borough

MRPID:132

IMPROVEMENT: Signal/ITS Improvements

FC:

AQ Code:2035M

PLAN CENTER: Metropolitan Subcenter

IPD: 21

PROJECT MANAGER: EE/M. Holva

CMP: Major SOV Capacity

Corridor(s): 1A, 2B, 3B, 3C, 8C, 9B

This project will provide for the active management of transportation and demand by providing operational improvements on I-76 and supporting arterials between the PA Turnpike and the US 1 interchanges with a series of measures that will allow for the ability to dynamically manage recurrent congestion based on prevailing and predicted traffic conditions through the following:

- Installation of systems and devices for variable speed limits and queue detection-- Speeds will be dynamically changed based on road, traffic and weather conditions. Warning signs will be used to dynamically display alerts to drivers that congestion and queues are present. The limits for this work are as follows: PA Turnpike to US 1.
- Dynamic lane assignments, shoulder, and junction control improvements-- The shoulders will be dynamically controlled along with travel lanes for opening/closing on a temporary basis in response to increasing congestion or incidents. This work includes reconstruction of shoulders up to current standard width and depth for part time shoulder use, and may necessitate increasing pavement or bridge deck width where insufficient, and lengthening of overhead bridge spans as required. Bridge and roadway drainage and storm water management will be improved as required. It is expected that part time shoulder use will be provided on I-76 in both eastbound and westbound directions from the PA Turnpike to I-476, and on I-76 westbound from US 1 to Belmont Avenue as it relates to Junction controls for I-76 WB from City Avenue (US 1).
- Adaptive ramp metering will be used to dynamically adjust signals at the ramp entrances to proactively manage vehicle flow from access roads. The Limits are from the PA Turnpike to US 1.
- Installation of systems and devices for continuous monitoring of the transportation network, whether by video or other detectors, to aid in traffic incident management coordination and primary /secondary crash reduction, throughput increases, reducing speed differential in traffic flow and increasing trip reliability. The Limits are PA Turnpike to US 1 and it includes US 202, US 422 and US 1 and access roads.
- Installation of a responsive traffic signal system to be coordinated real time with the Regional Transportation Management Center. This should include the traffic signal system network in the proximity of I-76. Arterial signals will be coordinated with ramp metering. Transit signal priority included where applicable. Installation of communications network as required. The limits include Ridge Pike and PA 23 (Conshohocken to US1) .
- Enhanced coordination of operations with SEPTA on bus or regional rail that is parallel to the I-76 corridor including dynamic messaging on DMS to motorists of available parking / travel times of alternate mode and travel availability .

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031 | FY2032            | FY2033 | FY2034 |   |
|-------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|--------|-------------------|--------|--------|---|
| PE    | NHPP-IM | 2,050             |        |        |        |                   |        |        |        |        |                   |        |        |   |
|       |         | 2,050             | 0      | 0      | 0      | 0                 | 0      | 0      | 0      | 0      | 0                 | 0      | 0      |   |
|       |         | Total FY2023-2026 |        |        | 2,050  | Total FY2027-2030 |        |        |        | 0      | Total FY2031-2034 |        |        | 0 |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Montgomery

MPMS# 119500 Interstate ITS Contract 2023

LIMITS: Districtwide - Interstates

No Let Date

MUNICIPALITIES: Various

IMPROVEMENT: Signal/ITS Improvements

FC:

PLAN CENTER:

IPD:

PROJECT MANAGER: Traff/M. Carroll

CMP:

This project will maintain Existing Hardware and Software

This IMP funded project is a companion to 118956.

#### TIP Program Years (\$ 000)

| Phase | Fund    | <u>FY2023</u>     | <u>FY2024</u> | <u>FY2025</u> | <u>FY2026</u> | <u>FY2027</u>     | <u>FY2028</u> | <u>FY2029</u> | <u>FY2030</u> | <u>FY2031</u> | <u>FY2032</u>     | <u>FY2033</u> | <u>FY2034</u> |   |
|-------|---------|-------------------|---------------|---------------|---------------|-------------------|---------------|---------------|---------------|---------------|-------------------|---------------|---------------|---|
| CON   | NHPP-IM | 250               |               |               |               |                   |               |               |               |               |                   |               |               |   |
| CON   | NHPP-IM |                   | 250           |               |               |                   |               |               |               |               |                   |               |               |   |
| CON   | NHPP-IM |                   |               | 250           |               |                   |               |               |               |               |                   |               |               |   |
|       |         | 250               | 250           | 250           | 0             | 0                 | 0             | 0             | 0             | 0             | 0                 | 0             | 0             |   |
|       |         | Total FY2023-2026 |               |               | 750           | Total FY2027-2030 |               |               |               | 0             | Total FY2031-2034 |               |               | 0 |

| Total For<br>Montgomery | 2023    | 2024  | 2025  | 2026 | 2023-2026 | 2027-2030 | 2031-2034 |
|-------------------------|---------|-------|-------|------|-----------|-----------|-----------|
|                         | \$2,300 | \$250 | \$250 | \$0  | \$2,800   | \$0       | \$0       |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

**MPMS# 17821** **I-95: Shackamaxon Street to Ann Street (GIR) - Design SR:0095**

**LIMITS:** Shackamaxon Street to Ann Street

No Let Date

**MUNICIPALITIES:** Philadelphia City

MRPID:65

**IMPROVEMENT:** Intersection/Interchange Improvements

**FC:** 11; 14; 16

AQ Code:2035M

**PLAN CENTER:** Metropolitan Center

IPD: 21

**PROJECT MANAGER:** EE/E. Elbich

**CMP:** Major SOV Capacity

CMP Subcorridor(s): 4B

This project provides for the design of I-95 construction sections GR0 (MPMS# 80094 which has been Let), GR1 (MPMS# 79686 which has been let), GR2 (MPMS# 83640 which has been let), GR3 (MPMS# 79826), GR4 (MPMS# 79827), and GR5 (MPMS# 79828). The construction projects will provide widening and reconstruction of I-95 to eliminate the lane drop (from 3 to 4) in both directions at the Girard Avenue Interchange by providing 4 continuous thru lanes in each direction (Construction Sections GR0 thru GR4). In addition, an auxiliary lane will be provided in each direction to connect the ramps between adjacent interchanges at Vine St and Allegheny Ave. The existing substandard shoulders will be replaced with full width shoulders along most of the project length. Specifically, 22 mainline bridges will be replaced, 4 Girard Ave Interchange ramp bridges will be replaced, 2 arterial road bridges will be replaced or rehabilitated and 4 Conrail bridges over relocated Richmond St will be constructed. The Girard Avenue Interchange will be reconfigured to improve access, operation and safety. Specifically, direct access will also be provided from I-95 SB to Delaware Ave. Additional direct access is being provided from Girard and Delaware Avenues to I-95 SB and from Aramingo Avenue to I-95 NB. No existing interchange movements will be eliminated. Pedestrian, bicycle and transit facilities are present along Delaware Avenue, Richmond Street, Aramingo Avenue and Girard Avenue. The pedestrian and bicycle facilities will be expanded under this project to include wider sidewalks, a shared-use trail and other pathways. Appropriate pedestrian access will be provided via signalized crossings, refuge medians, signing, hand/man signals and visible pavement markings.

Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental strategies for details related to this project.

This project is integral to the Delaware Valley Freight Corridors Initiative.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design:BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

|       |         | TIP Program Years (\$ 000) |        |        |        |        |        |        |        |        |        |        |        |
|-------|---------|----------------------------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Phase | Fund    | FY2023                     | FY2024 | FY2025 | FY2026 | FY2027 | FY2028 | FY2029 | FY2030 | FY2031 | FY2032 | FY2033 | FY2034 |
| PE    | NHPP-IM |                            |        |        |        | 800    |        |        |        |        |        |        |        |
| PE    | 581-IM  |                            |        |        |        | 200    |        |        |        |        |        |        |        |
| FD    | NHPP-IM | 14,400                     |        |        |        |        |        |        |        |        |        |        |        |
| FD    | 581-IM  | 3,600                      |        |        |        |        |        |        |        |        |        |        |        |
| FD    | NHPP-IM |                            | 14,400 |        |        |        |        |        |        |        |        |        |        |
| FD    | 581-IM  |                            | 3,600  |        |        |        |        |        |        |        |        |        |        |
| FD    | NHPP-IM |                            |        | 14,400 |        |        |        |        |        |        |        |        |        |
| FD    | 581-IM  |                            |        | 3,600  |        |        |        |        |        |        |        |        |        |
| FD    | NHPP-IM |                            |        |        |        |        | 2,400  |        |        |        |        |        |        |
| FD    | 581-IM  |                            |        |        |        |        | 600    |        |        |        |        |        |        |
| FD    | NHPP-IM |                            |        |        |        |        |        | 2,400  |        |        |        |        |        |
| FD    | 581-IM  |                            |        |        |        |        |        | 600    |        |        |        |        |        |

# DVRPC FY2023-2026 TIP for PA

Final Version

Pennsylvania - Interstate Management Program

**Philadelphia**

|                   |        |        |        |   |                   |       |       |   |                   |   |   |
|-------------------|--------|--------|--------|---|-------------------|-------|-------|---|-------------------|---|---|
|                   | 18,000 | 18,000 | 18,000 | 0 | 1,000             | 3,000 | 3,000 | 0 | 0                 | 0 | 0 |
| Total FY2023-2026 |        |        | 54,000 |   | Total FY2027-2030 |       | 7,000 |   | Total FY2031-2034 |   | 0 |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

MPMS# 46959 I-95 Design Review Manager SR:0095

LIMITS: Race St. to Neshaminy Creek

No Let Date

MUNICIPALITIES: Philadelphia City

MRPID:65

IMPROVEMENT: Other

FC: 11

AQ Code:NRS

PLAN CENTER:

IPD:

PROJECT MANAGER: EE/E. Elbich

CMP: Not SOV Capacity Adding

CMP Subcorridor(s): 4A, 4B

This project will provide assistance to the PennDOT project manager and design review services for the I-95 Reconstruction Projects in the City of Philadelphia. These projects include, but are not limited to, the following sections: Section RVS, GIR, AFC, BRI, BSR, and CPR. The limits of the contract cover the City of Philadelphia. The selected firm will be required to provide engineering management assistance and design review services during the preliminary and final design phases. They will be required to provide sufficient staff to assist the Department in adequately maintaining project coordination and schedule for design through bidding of the construction contracts. Other tasks required include, but are not limited to: review of design submissions, hydraulic reports, type size and location submissions, final bridge plans and computations, geotechnical reports, preliminary and final right of way plans, design plans, special provisions, specification and estimates prepared by other consulting engineering firms. Conduct design review meetings and plan checks; review environmental items of work; coordinate required permit applications; standardize design details, coordinate design and right of way acquisition activities, coordinate all traffic control plans to provide optimum traffic flow, coordinate with the various agencies, public officials, interested groups, communities, and utilities by means of periodic meetings; prepare master timetables to coordinate all phases of the projects; monitor schedule to assure compliance with master schedule; evaluate all value engineering submissions and make recommendations to the District. Tasks also include public involvement, development of project newsletters, environmental permit review and tracking of mitigation strategies, preparation of materials for the project website, assist in preparing applicable inter-agency agreements, and responding to public inquiries both through written and e-mail.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design: BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023 | FY2024 | FY2025 | FY2026 | FY2027 | FY2028 | FY2029 | FY2030 | FY2031 | FY2032 | FY2033 | FY2034 |
|-------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| PE    | NHPP-IM | 1,600  |        |        |        |        |        |        |        |        |        |        |        |
| PE    | 581-IM  | 400    |        |        |        |        |        |        |        |        |        |        |        |
| PE    | NHPP-IM |        | 1,600  |        |        |        |        |        |        |        |        |        |        |
| PE    | 581-IM  |        | 400    |        |        |        |        |        |        |        |        |        |        |
| PE    | NHPP-IM |        |        | 1,600  |        |        |        |        |        |        |        |        |        |
| PE    | 581-IM  |        |        | 400    |        |        |        |        |        |        |        |        |        |
| PE    | NHPP-IM |        |        |        | 1,600  |        |        |        |        |        |        |        |        |
| PE    | 581-IM  |        |        |        | 400    |        |        |        |        |        |        |        |        |
| PE    | NHPP-IM |        |        |        |        | 1,600  |        |        |        |        |        |        |        |
| PE    | 581-IM  |        |        |        |        | 400    |        |        |        |        |        |        |        |
| PE    | NHPP-IM |        |        |        |        |        | 1,600  |        |        |        |        |        |        |
| PE    | 581-IM  |        |        |        |        |        | 400    |        |        |        |        |        |        |
| PE    | NHPP-IM |        |        |        |        |        |        | 1,600  |        |        |        |        |        |
| PE    | 581-IM  |        |        |        |        |        |        | 400    |        |        |        |        |        |
| PE    | NHPP-IM |        |        |        |        |        |        |        | 1,600  |        |        |        |        |
| PE    | 581-IM  |        |        |        |        |        |        |        | 400    |        |        |        |        |

# DVRPC FY2023-2026 TIP for PA

Final Version

Pennsylvania - Interstate Management Program

**Philadelphia**

|                   |       |       |       |       |                   |       |       |       |                   |   |   |   |   |
|-------------------|-------|-------|-------|-------|-------------------|-------|-------|-------|-------------------|---|---|---|---|
|                   | 2,000 | 2,000 | 2,000 | 2,000 | 2,000             | 2,000 | 2,000 | 2,000 | 2,000             | 0 | 0 | 0 | 0 |
| Total FY2023-2026 |       |       |       | 8,000 | Total FY2027-2030 |       |       | 8,000 | Total FY2031-2034 |   |   | 0 |   |



## Pennsylvania - Interstate Management Program

## Philadelphia

MPMS# 47811 Bridge Street Design (Section BSR)(IMP) SR:0095

LIMITS: Orthodox Street to Levick Street

No Let Date

MUNICIPALITIES: Philadelphia City

MRPID:65

IMPROVEMENT: Intersection/Interchange Improvements

FC: 11

AQ Code:2035M

PLAN CENTER:

IPD: 21

PROJECT MANAGER: AECOM/P. Shultes

CMP: Major SOV Capacity

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is the design parent for I-95 Reconstruction SR 0095 Section BSR, also known as the Bridge Street Ramps section.

The overall section improvements of BSR consist of eliminating the lane drop at the James St. ramp in the southbound direction and eliminating the add lane (i.e. providing four lanes northbound from the BRI section up to Bridge Street) at the Bridge St. on-ramp in the northbound direction. The proposed SR 0095 will have four lanes in each direction from Margaret St. to Levick St. with exclusive acceleration/deceleration lanes. The project includes the replacement of six mainline structures. All retaining walls supporting SR 0095 will be totally reconstructed to support the new widened roadway and ramps. In addition, the project consists of 1.7 miles of reconstruction and realignment along SR 0095, as well as 0.7 miles of reconstruction along Tacony Street from Aramingo Ave. to the Delaware Ave. Extension to the east. Approximately 1.4 miles of reconstruction along Aramingo Ave. is anticipated from Wheatsheaf La. to the south to the Amtrak bridge to the north. A portion of Aramingo Ave. will also be widened from Orthodox St. to Tacony St. along the SR 0095 side of Aramingo Ave. The Aramingo Avenue/Betsy Ross Interchange will be reconfigured to construct a portion of the Adams Ave. Connector to intersect Aramingo Ave. adjacent to the Frankford Creek Bridge. Additional ramps will be constructed between the Betsy Ross Bridge and the SR 0095/Aramingo Ave. Interchange to accommodate all traffic movements from the Betsy Ross Bridge and from SR 0095 (MPMS 79903 - SR0095, Sec BR0). These new ramps will serve to accommodate the increased traffic volumes from the removal of two ramps at the Bridge St. Interchange. One of the ramps to be removed is an off-ramp from SR 0095 NB to Aramingo Ave. NB. The other ramp to be removed is an on-ramp from Aramingo Ave. SB to SR 0095 SB.

As part of this project, Delaware Ave. will be extended approximately 1.3 miles from Buckius Street to Tacony St. This will include a new bridge over Old Frankford Creek. The project also consists of removing the SR 0095 SB off-ramp at the Bridge St. Interchange (at James Street), and the removal of the Bridge St. on-ramp to SR 0095 NB. These ramps are being moved further north to the intersection of Tacony St. and the Delaware Ave. Extension. A SR 0095 SB off-ramp will provide direct access to Tacony St. and the Delaware Ave. Extension. A new on-ramp from Tacony St. and the Delaware Ave. Extension will provide access to SR 0095 NB.

The BSR section also includes the construction of the Frankford Creek Greenway along Aramingo Ave. from Wheatsheaf La. To the Adams Ave. Connector, and then along the Adams Ave. Connector to the adjoining MPMS #17782 project. A multi-use trail will extend further along Aramingo Ave. from the Adams Ave. Connector to the existing bicycle lanes on Orthodox St. and Margaret St. The East Coast Greenway will also be constructed along the North Delaware Ave. Extension to connect with the K&T Trail. The project will incorporate new traffic signals at 12 intersections and modifications to traffic signals at 5 intersections.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design:BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. Related sections of I-95 Reconstruction: MPMS #'s 47811, 79908, 79910, 87784, 103562, 103563 and 103564.

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

|       |         | TIP Program Years (\$ 000) |               |               |               |                   |               |               |               |                   |               |               |               |
|-------|---------|----------------------------|---------------|---------------|---------------|-------------------|---------------|---------------|---------------|-------------------|---------------|---------------|---------------|
| Phase | Fund    | <u>FY2023</u>              | <u>FY2024</u> | <u>FY2025</u> | <u>FY2026</u> | <u>FY2027</u>     | <u>FY2028</u> | <u>FY2029</u> | <u>FY2030</u> | <u>FY2031</u>     | <u>FY2032</u> | <u>FY2033</u> | <u>FY2034</u> |
| FD    | NHPP-IM | 4,500                      |               |               |               |                   |               |               |               |                   |               |               |               |
| FD    | 581-IM  | 500                        |               |               |               |                   |               |               |               |                   |               |               |               |
| FD    | NHPP-IM |                            | 4,500         |               |               |                   |               |               |               |                   |               |               |               |
| FD    | 581-IM  |                            | 500           |               |               |                   |               |               |               |                   |               |               |               |
| FD    | NHPP-IM |                            |               | 10,170        |               |                   |               |               |               |                   |               |               |               |
| FD    | 581-IM  |                            |               | 1,130         |               |                   |               |               |               |                   |               |               |               |
| ROW   | NHPP-IM |                            | 1,260         |               |               |                   |               |               |               |                   |               |               |               |
| ROW   | 581-IM  |                            | 140           |               |               |                   |               |               |               |                   |               |               |               |
| ROW   | NHPP-IM |                            |               | 900           |               |                   |               |               |               |                   |               |               |               |
| ROW   | 581-IM  |                            |               | 100           |               |                   |               |               |               |                   |               |               |               |
| ROW   | NHPP-IM |                            |               |               | 900           |                   |               |               |               |                   |               |               |               |
| ROW   | 581-IM  |                            |               |               | 100           |                   |               |               |               |                   |               |               |               |
|       |         | 5,000                      | 6,400         | 12,300        | 1,000         | 0                 | 0             | 0             | 0             | 0                 | 0             | 0             | 0             |
|       |         | Total FY2023-2026          |               | 24,700        |               | Total FY2027-2030 |               |               |               | Total FY2031-2034 |               |               |               |
|       |         |                            |               |               |               | 0                 |               |               |               | 0                 |               |               |               |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

MPMS# 47812 I-95: Betsy Ross Interchange (BRI) - Design (IMP) SR:0095

LIMITS: Wheatsheaf Lane to Orthodox Street

No Let Date

MUNICIPALITIES: Philadelphia City

MRPID:65

IMPROVEMENT: Intersection/Interchange Improvements

FC: 11

AQ Code:2035M

PLAN CENTER:

IPD: 20

PROJECT MANAGER: AECOM/P. Shultes

CMP: Major SOV Capacity

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is the design parent of I-95 Reconstruction SR 0095 Section BRI, also known as the Betsy Ross Interchange.

The overall section consists of reconstructing 1.1 miles of the SR 0095 mainline roadway starting from the north side of the Wheatsheaf Lane crossing, adjoining Section AFC, and ending at Orthodox Street, adjoining Section BSR. The lane drops (from 4 to 3) on SR 0095 northbound and southbound will be eliminated from the Betsy Ross Interchange. Within Section BRI, the multi-lane NB and SB collector-distributor roads, the Ramp X SB on ramp and Ramp Y NB off ramp will be demolished and removed. The proposed SR 0095 mainline will have four lanes in each direction from Wheatsheaf Lane to the Orthodox Street/Pearce Street crossing. On the SR 0095 mainline, the project includes reconstruction of three dual structures (the dual structures over Frankford Creek; the dual viaduct structures over the Earth Fill area from the Betsy Ross Interchange to south of Orthodox Street crossing; and the dual structures over Orthodox and Pearce Streets). Section BRI includes the rehabilitation or replacement of the Conrail Shared Assets railroad bridges crossing SR 0095 and Ramps A and C.

In addition, the Aramingo Avenue/Betsy Ross Interchange will be reconfigured to realign the planned Adams Avenue Connector to intersect Aramingo Avenue adjacent to the Frankford Creek Bridge and to accommodate increased traffic volumes from the removal of the Bridge Street Interchange. In the Betsy Ross Interchange area, Section BRI also includes reconstruction of nine connecting bridge structure ramps (Ramp A from SR 0095 NB to Betsy Ross Bridge; Ramp B from Betsy Ross Bridge to SR 0095 SB; Ramp C from SR 0095 NB to Aramingo Avenue; Ramp D from Adams Avenue Connector to SR 0095 SB; Ramp EE from SR 0095 SB to Betsy Ross Bridge; Ramp F from SR 0095 SB to Aramingo Avenue; Ramp G from Aramingo Avenue to NB; Ramp H from Betsy Ross Bridge to NB; Ramp GH from Aramingo Avenue and Betsy Ross Bridge to NB; . Also, the missing connection from the Betsy Ross Bridge to Aramingo Avenue/Adams Avenue Connector will be built (Ramp I), and the missing connection from Aramingo Avenue/Adams Avenue Connector to the Betsy Ross Bridge will be built (Ramp JJ).

This project is funded by a portion of a \$51,254,972 TEA-21 Earmark (PA ID# 228/FED ID# 1847)

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design:BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. Related sections of I-95 Reconstruction: MPMS #'s 47812, 79903, 79904, 79905, 103559, 103560 and 103561.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023 | FY2024 | FY2025 | FY2026 | FY2027 | FY2028 | FY2029 | FY2030 | FY2031 | FY2032 | FY2033 | FY2034 |
|-------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| FD    | NHPP-IM | 5,600  |        |        |        |        |        |        |        |        |        |        |        |
| FD    | 581-IM  | 1,400  |        |        |        |        |        |        |        |        |        |        |        |
| FD    | NHPP-IM |        | 5,600  |        |        |        |        |        |        |        |        |        |        |
| FD    | 581-IM  |        | 1,400  |        |        |        |        |        |        |        |        |        |        |
| FD    | NHPP-IM |        |        | 5,600  |        |        |        |        |        |        |        |        |        |

# DVRPC FY2023-2026 TIP for PA

Final Version

Pennsylvania - Interstate Management Program

| Philadelphia      |        |        |       |       |   |                   |   |   |   |   |                   |   |   |
|-------------------|--------|--------|-------|-------|---|-------------------|---|---|---|---|-------------------|---|---|
| FD                | 581-IM | 1,400  |       |       |   |                   |   |   |   |   |                   |   |   |
|                   |        | 7,000  | 7,000 | 7,000 | 0 | 0                 | 0 | 0 | 0 | 0 | 0                 | 0 | 0 |
| Total FY2023-2026 |        | 21,000 |       |       |   | Total FY2027-2030 |   |   |   | 0 | Total FY2031-2034 |   |   |
|                   |        |        |       |       |   |                   |   |   |   |   | 0                 |   |   |

## Pennsylvania - Interstate Management Program

## Philadelphia

MPMS# 47813 I-95: Ann Street to Wearsheaf Lane (AFC) SR:0095

LIMITS: Ann St. to Wearsheaf Lane

No Let Date

MUNICIPALITIES: Philadelphia City

MRPID:65

IMPROVEMENT: Intersection/Interchange Improvements

FC: 11

AQ Code:2035M

PLAN CENTER:

IPD: 20

PROJECT MANAGER: CH2MHill/P. Conti

CMP: Major SOV Capacity

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is the AFC Design Parent.

This project is the design parent of I-95 Reconstruction SR 0095 Section AFC, also known as the Ann to Frankford Creek section. The overall section improvements consist of replacing 12 bridges and 0.8 miles of roadway. The limits of this project extend along I-95 from the bridge over Ann Street. to the bridge over Wearsheaf Lane for a length of approximately 1.3 miles. I-95, Section AFC will involve consolidating existing disjointed interchanges at Allegheny Avenue, Westmoreland Street, and Castor Avenue which will be reconfigured into two half interchanges: half-diamond interchange at Allegheny Avenue for Southbound I-95 and a partial clover interchange at Castor Avenue for Northbound I-95.

The existing off-ramp at Westmoreland Street will be removed, leaving a half-diamond interchange at Allegheny Avenue for I-95 Southbound. A new northbound on-ramp will be added Castor Avenue to create a partial-clover interchange at Castor Avenue for I-95 Northbound. The existing loop-ramp will be split to provide both access to I-95 Northbound and the Betsy Ross Bridge which will provide direct access to the Betsy Ross Bridge from NB I-95

Existing I-95 has 4 lanes northbound and 4 lanes southbound. The proposed I-95 will have an auxiliary lane Southbound, between the Betsy Ross on-ramp and the off-ramp at Allegheny Avenue, and an auxiliary lane Northbound between the Girard Interchange and the off-ramp to the Betsy Ross bridge.

Complete reconstruction and widening of the existing pavement. Reconstruction or replacement of all existing bridges. Extend viaduct over playground from Westmoreland Street to Allegheny Avenue. Rehabilitate existing structure from Westmoreland Street to Tioga Street.

The four existing ramps (two at Allegheny, one at Westmoreland, and one at Castor) are all single lane ramps. The two ramps at Allegheny, and the two ramps at Castor will be single lane ramps, except at the termini of the off-ramps where they will be widened to two lanes at signalized intersections.

PennDOT will utilize four construction contracts to rebuild and improve the 1.3 miles this portion of I-95: AF1(79911), AF2(79912), AF3(103557) and AF4(103558).

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design:BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. A final alternative for bridge rehabilitation or replacement is determined upon federal National Environmental Policy Act (NEPA) or state Categorical Exclusion clearance. Related sections of I-95 Reconstruction: MPMS #'s 47813, 79911, and 79912.

## TIP Program Years (\$ 000)

| Phase | Fund   | FY2023 | FY2024 | FY2025 | FY2026 | FY2027 | FY2028 | FY2029 | FY2030 | FY2031 | FY2032 | FY2033 | FY2034 |
|-------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| FD    | 581-IM | 2,000  |        |        |        |        |        |        |        |        |        |        |        |

# DVRPC FY2023-2026 TIP for PA

## Pennsylvania - Interstate Management Program

| Philadelphia |        |                   |       |        |       |                   |   |   |   |                   |   |   |   |
|--------------|--------|-------------------|-------|--------|-------|-------------------|---|---|---|-------------------|---|---|---|
| FD           | 185-IM | 6,000             |       |        |       |                   |   |   |   |                   |   |   |   |
| FD           | 581-IM |                   | 2,000 |        |       |                   |   |   |   |                   |   |   |   |
| FD           | 185-IM |                   | 6,000 |        |       |                   |   |   |   |                   |   |   |   |
| FD           | 581-IM |                   |       | 2,000  |       |                   |   |   |   |                   |   |   |   |
| FD           | 185-IM |                   |       | 6,000  |       |                   |   |   |   |                   |   |   |   |
| FD           | 581-IM |                   |       |        | 2,000 |                   |   |   |   |                   |   |   |   |
| FD           | 185-IM |                   |       |        | 6,000 |                   |   |   |   |                   |   |   |   |
|              |        | 8,000             | 8,000 | 8,000  | 8,000 | 0                 | 0 | 0 | 0 | 0                 | 0 | 0 | 0 |
|              |        | Total FY2023-2026 |       | 32,000 |       | Total FY2027-2030 |   |   |   | Total FY2031-2034 |   |   |   |
|              |        |                   |       |        |       | 0                 |   |   |   | 0                 |   |   |   |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

MPMS# 79827 I-95 Southbound: Columbia-Ann St N (GR4)

LIMITS: Columbia to north of Ann Street

No Let Date

MUNICIPALITIES: Philadelphia City

MRPID:65

IMPROVEMENT: Intersection/Interchange Improvements

FC: 11; 14

AQ Code:2025M

PLAN CENTER:

IPD: 21

PROJECT MANAGER: CONSTR

CMP: Major SOV Capacity

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP). This construction contract will include reconstruction and widening of I-95 southbound to include 4 thru lanes plus a fifth auxiliary lane (12'-0" lane widths) from Columbia Avenue to north of Ann Street in multiple stages. The existing substandard shoulder widths (varies up to 10'-0") will be replaced with full width shoulders (varies up to 12'-0"). This contract will include reconstruction of the southbound Girard Avenue Interchange ramps (Ramps B, B Spur and D). This phase will include demolition and replacement of numerous bridge structures, including I-95 SB over Girard Avenue to Ann Street; I-95 SB over Aramingo Avenue to south of Girard Avenue; I-95 SB over Berks Street; I-95 SB over Montgomery Avenue; I-95 SB over Palmer Street; I-95 SB off-ramp (Ramp B); I-95 SB off-ramp to Aramingo Avenue SB and Delaware Avenue (Ramp B Spur); I-95 SB on-ramp (Ramp D); and Aramingo Avenue SB over Ramp B, Girard Avenue and Spur A. Also included will be completion of the surface street tie-ins with the southbound ramp terminals and the construction of associated retaining walls and sound barrier walls. Aramingo Ave. will be reconstructed between Delaware Ave. and Cumberland St. Additionally, a shared-use path will be constructed under the viaduct between Girard Avenue Interchange and Lehigh Avenue with connections to bike lanes on Richmond Street, Aramingo Avenue, and Lehigh Avenue. A shared-use path will be constructed along Aramingo Avenue from Delaware Avenue to York Street. A majority of the utility impacts will be limited to areas of work along the surface street crossing under I-95. This project is being coordinated with the I-95 Section CPR and Section AFC projects from a construction letting and geographical location standpoint.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design: BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridor Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. A final alternative for bridge rehabilitation or replacement is determined upon federal national Environmental Policy Act (NEPA) or state Categorical Exclusion clearance. Related sections of I-95 Reconstruction: MPMS #'s 17821, 80094, 79685, 83640, 79826, 79828, 102305.

| TIP Program Years (\$ 000) |         |        |        |        |        |                   |        |        |        |        |                   |        |        |   |
|----------------------------|---------|--------|--------|--------|--------|-------------------|--------|--------|--------|--------|-------------------|--------|--------|---|
| Phase                      | Fund    | FY2023 | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031 | FY2032            | FY2033 | FY2034 |   |
| CON                        | NHPP-IM | 0      | 0      | 0      | 0      | 0                 | 0      | 0      | 0      | 0      | 0                 | 0      | 0      |   |
| Total FY2023-2026          |         |        |        |        | 0      | Total FY2027-2030 |        |        |        | 0      | Total FY2031-2034 |        |        | 0 |



# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

**MPMS# 79828** **I-95 Northbound: Race - Shackamaxon (GR5)**

**LIMITS:** Race Street to Shackamaxon Street

No Let Date

**MUNICIPALITIES:** Philadelphia City

MRPID:65

**IMPROVEMENT:** Intersection/Interchange Improvements

**FC:** 11

AQ Code:2035M

**PLAN CENTER:** Metropolitan Center

IPD: 14

**PROJECT MANAGER:** EE/E. Elbich

**CMP:** Major SOV Capacity

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout of Section GIR (MPMS #17821). This project provides for the reconstruction, rehabilitation, and widening of I-95 northbound between Race Street and Shackamaxon Street, and the reconstruction of the northern Vine Street interchange ramp connection with I-95. This project includes rehabilitation, deck replacement, demolition, and replacement of eight bridges.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design: BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridor Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. A final alternative for bridge rehabilitation or replacement is determined upon federal national Environmental Policy Act (NEPA) or state Categorical Exclusion clearance. Related sections of I-95 Reconstruction: MPMS #'s 17821, 80094, 79685, 83640, 79826, 79828, 102305.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029  | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
|-------|---------|-------------------|--------|--------|--------|-------------------|--------|---------|--------|-------------------|--------|--------|--------|
| ROW   | NHPP-IM | 2,115             |        |        |        |                   |        |         |        |                   |        |        |        |
| ROW   | 581-IM  | 235               |        |        |        |                   |        |         |        |                   |        |        |        |
| ROW   | NHPP-IM |                   | 2,115  |        |        |                   |        |         |        |                   |        |        |        |
| ROW   | 581-IM  |                   | 235    |        |        |                   |        |         |        |                   |        |        |        |
| UTL   | 185-IM  |                   | 8,441  |        |        |                   |        |         |        |                   |        |        |        |
| UTL   | 185-IM  |                   |        | 8,441  |        |                   |        |         |        |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        | 5,092  |                   |        |         |        |                   |        |        |        |
| CON   | BRIP-IM |                   |        |        | 34,908 |                   |        |         |        |                   |        |        |        |
| CON   | NFP-IM  |                   |        |        |        | 60,360            |        |         |        |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        |                   | 40,000 |         |        |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        |                   |        | 40,000  |        |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        |                   |        |         | 40,000 |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        |                   |        |         |        | 85,701            |        |        |        |
|       |         | 2,350             | 10,791 | 8,441  | 40,000 | 60,360            | 40,000 | 40,000  | 40,000 | 85,701            | 0      | 0      | 0      |
|       |         | Total FY2023-2026 |        | 61,582 |        | Total FY2027-2030 |        | 180,360 |        | Total FY2031-2034 |        | 85,701 |        |



# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

**MPMS# 79904** **I-95: Betsy Ross Section Ramps A&B (BR2)**

**LIMITS:** Wheatshaf Lane to Orthodox St. Crossing

No Let Date

**MUNICIPALITIES:** Philadelphia City

MRPID:65

**IMPROVEMENT:** Intersection/Interchange Improvements

**FC:** 11

AQ Code:R1

**PLAN CENTER:**

IPD: 20

**PROJECT MANAGER:** Harold Windisch ADE CONSTR

**CMP:** Major SOV Capacity

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout of Section BRI (MPMS #47812).

The BR2 section is a part of the I-95 Reconstruction, I-95 Section BRI, also known as the Betsy Ross Interchange. Section BR2 project includes construction for the replacements of both Ramp A and Ramp B structures in the Betsy Ross Interchange including approach roadway work in the City of Philadelphia. See MPMS #47812 for an overall description of the SR 95 Section BRI section.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design: BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. Related sections of I-95 Reconstruction: MPMS #'s 47812, 79903, 79904, 79905, 103559, 103560 and 103561.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
|-------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| CON   | NHPP-IM |                   |        |        |        |                   |        |        |        |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        |                   |        |        |        |                   |        |        |        |
|       |         | 0                 | 0      | 0      | 0      | 0                 | 0      | 0      | 0      | 0                 | 0      | 0      | 0      |
|       |         | Total FY2023-2026 |        |        | 0      | Total FY2027-2030 |        |        | 0      | Total FY2031-2034 |        |        | 0      |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

**MPMS# 79905** **I-95: Betsy Ross Mainline Northbound (BR3)**

**LIMITS:** Wheatshaeaf Lane to I-95 north of Margaret St.

No Let Date

**MUNICIPALITIES:** Philadelphia City

MRPID:65

**IMPROVEMENT:** Intersection/Interchange Improvements

**FC:** 11

AQ Code:2035M

**PLAN CENTER:**

IPD: 20

**PROJECT MANAGER:** AECOM/P. Shultes

**CMP:** Major SOV Capacity

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout of Section BRI (MPMS #47812).

Project includes the northbound mainline construction from Wheatshaeaf Lane to SR 0095 north of Margaret St. This contract will also remove the northbound collector/distributor and ramp which connects I-95 northbound and the Betsy Ross Bridge to the local street system (Aramingo Avenue, Harbison Avenue, Tacony Street and Bridge Street). This traffic will be redirected to the ramps completed in the I-95 BR0 (MPMS #79903) project. This includes the demolition and/or replacement of numerous structures including new bridges for I-95 northbound over Frankford Creek, Orthodox Street and Margaret Street. Pearce Street will be relocated out from underneath I-95. As a result of the collector/distributor ramp removal, a new ramp will be constructed to connect the Betsy Ross Bridge to I-95 NB (Ramp GH). Ramp G and Ramp H structures will also be replaced. A significant portion of the northbound mainline that currently is supported on structure will be removed and replaced with a geotechnically supported pavement using compensating fill and/or column supported embankment. This will eliminate approximately 176,500 SF of SD bridge deck. The existing noise wall in this section will be replaced. Local street landscaping and lighting will be incorporated in consultation with the Bridesburg community. PWD facility upgrades are anticipated to carry a portion of the mainline drainage to the Frankford Creek Outfall near Bridge Street. See MPMS #47812 for an overall description of the SR 95 Section BRI section.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design: BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. A final alternative for bridge rehabilitation or replacement is determined upon federal National Environmental Policy Act (NEPA) or state Categorical Exclusion clearance. Related sections of I-95 Reconstruction: MPMS #'s 47812, 79903, 79904, 79905, 103559, 103560 and 103561.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023 | FY2024 | FY2025 | FY2026 | FY2027 | FY2028 | FY2029 | FY2030 | FY2031 | FY2032 | FY2033 | FY2034 |
|-------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| ROW   | 581-IM  |        | 2,000  |        |        |        |        |        |        |        |        |        |        |
| ROW   | 185-IM  |        | 4,000  |        |        |        |        |        |        |        |        |        |        |
| UTL   | 581-IM  | 1,000  |        |        |        |        |        |        |        |        |        |        |        |
| CON   | NHPP-IM |        | 20,343 |        |        |        |        |        |        |        |        |        |        |
| CON   | BRIP-IM |        | 14,657 |        |        |        |        |        |        |        |        |        |        |
| CON   | NHPP-IM |        |        | 22,105 |        |        |        |        |        |        |        |        |        |
| CON   | BRIP-IM |        |        | 7,895  |        |        |        |        |        |        |        |        |        |
| CON   | NHPP-IM |        |        |        | 10,000 |        |        |        |        |        |        |        |        |
| CON   | BRIP-IM |        |        |        | 20,000 |        |        |        |        |        |        |        |        |
| CON   | NHPP-IM |        |        |        |        | 30,000 |        |        |        |        |        |        |        |
| CON   | NHPP-IM |        |        |        |        |        | 30,000 |        |        |        |        |        |        |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

|     |         |                   |        |         |        |                   |        |         |        |                   |   |        |
|-----|---------|-------------------|--------|---------|--------|-------------------|--------|---------|--------|-------------------|---|--------|
| CON | NHPP-IM |                   |        |         |        |                   |        | 30,000  |        |                   |   |        |
| CON | NHPP-IM |                   |        |         |        |                   |        |         | 30,000 |                   |   |        |
| CON | NHPP-IM |                   |        |         |        |                   |        |         |        | 65,800            |   |        |
|     |         | 1,000             | 41,000 | 30,000  | 30,000 | 30,000            | 30,000 | 30,000  | 30,000 | 65,800            | 0 | 0      |
|     |         | Total FY2023-2026 |        | 102,000 |        | Total FY2027-2030 |        | 120,000 |        | Total FY2031-2034 |   | 65,800 |

**MPMS# 79908** **I-95: Kennedy to Levick (Section BS1) (IMP)**

**LIMITS:** Kennedy Street to Levick Street, and the southbound I-95 off-ramp at the Bridge Street interchange

No Let Date

**MUNICIPALITIES:** Philadelphia City

MRPID:65

**IMPROVEMENT:** Intersection/Interchange Improvements

**FC:** 11

AQ Code:2025M

**PLAN CENTER:**

IPD: 21

**PROJECT MANAGER:** Harold Windisch ADE CONSTR

**CMP:** Major SOV Capacity

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout of Section BSR (MPMS #47811).

The BS1 section is a part of the I-95 Reconstruction, SR 0095 Section BSR, also known as the Bridge Street Ramps section. This phase of SR 95 Section BSR covers the I-95 reconstruction from Carver Street to Levick Street, including work to:

-Reconstruct northbound and southbound I-95 (four lanes in each direction) from Carver Street to Levick Street;

-Replace the bridges that carry I-95 over Comly Street, and Van Kirk Street; and

-Modify the traffic signals at Tacony Street and Van Kirk Street, Tacony Street and Comly Street, and Tacony Street and Newman Co. driveway.

-This project will add interconnection to the traffic signals on Tacony Street from Fraley Street to Barnett Street and on New State Street from Elbridge Street to Milnor Street.

For an overall description of the SR 95 Section BSR section, see MPMS #47811.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design: BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. Related sections of I-95 Reconstruction: MPMS #'s 47811, 79908, 79910, 87784, 103562, 103563 and 103564.

| TIP Program Years (\$ 000) |         |                   |        |        |        |                   |        |        |        |                   |        |        |        |
|----------------------------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| Phase                      | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
| CON                        | NHPP-IM | 9,297             |        |        |        |                   |        |        |        |                   |        |        |        |
|                            |         | 9,297             | 0      | 0      | 0      | 0                 | 0      | 0      | 0      | 0                 | 0      | 0      | 0      |
|                            |         | Total FY2023-2026 |        | 9,297  |        | Total FY2027-2030 |        | 0      |        | Total FY2031-2034 |        | 0      |        |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

**MPMS# 79910** **I-95: Margaret to Kennedy (Section BS2) (IMP)**

**LIMITS:** Margaret to Kennedy

No Let Date

**MUNICIPALITIES:** Philadelphia City

MRPID:65

**IMPROVEMENT:** Intersection/Interchange Improvements

**FC:** 11

AQ Code:2035M

**PLAN CENTER:**

IPD: 21

**PROJECT MANAGER:** AECOM/P. Shultes

**CMP:** Major SOV Capacity

**CMP Subcorridor(s):** 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout from Section BSR (MPMS #47811).

This phase of I-95 Section BSR covers the I-95 reconstruction from just north of Margaret Street to Carver Street, and the removal of the northbound I-95 on-ramp at Bridge Street and the removal of the southbound I-95 off-ramp at James Street which will be relocated to the new intersection of Tacony Street and Delaware Avenue in the City of Philadelphia. This project includes work to: (1) reconstruct northbound and southbound I-95 (four lanes in each direction) from just north of Margaret Street to Carver Street. The viaduct that carries I-95 over Tacony Street and Bridge Street will be replaced; (2) removal of the Bridge Street northbound on-ramp and the James Street southbound off-ramp; (3) reconstruct Tacony Street from Aramingo Avenue to Levick Street; (4) modify the traffic signals at Bridge and Tacony Streets, Bridge and James Streets, Tacony and Fraley Streets, and construct a new traffic signal at Tacony Street and Delaware Avenue; reconstruct Bridge Street to reduce the street width and add pedestrian and bicyclist safety features, and construct stormwater outfall(s) to Old Frankford Creek. For an overall description of SR 95 Section BSR section see MPMS #47811.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design: BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. A final alternative for bridge rehabilitation or replacement is determined upon federal National Environmental Policy Act (NEPA) or state Categorical Exclusion clearance. Related sections of I-95 Reconstruction: MPMS #'s 47811, 79908, 79910, 87784, 103562, 103563 and 103564.

| TIP Program Years (\$ 000) |         |        |        |        |        |        |        |        |        |        |        |        |        |
|----------------------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Phase                      | Fund    | FY2023 | FY2024 | FY2025 | FY2026 | FY2027 | FY2028 | FY2029 | FY2030 | FY2031 | FY2032 | FY2033 | FY2034 |
| ROW                        | NHPP-IM | 900    |        |        |        |        |        |        |        |        |        |        |        |
| ROW                        | 581-IM  | 100    |        |        |        |        |        |        |        |        |        |        |        |
| UTL                        | 581-IM  | 3,000  |        |        |        |        |        |        |        |        |        |        |        |
| UTL                        | 581-IM  |        | 3,900  |        |        |        |        |        |        |        |        |        |        |
| CON                        | NHPP-IM | 25,000 |        |        |        |        |        |        |        |        |        |        |        |
| CON                        | NHPP-IM |        | 25,000 |        |        |        |        |        |        |        |        |        |        |
| CON                        | NHPP-IM |        |        | 30,000 |        |        |        |        |        |        |        |        |        |
| CON                        | NHPP-IM |        |        |        | 40,000 |        |        |        |        |        |        |        |        |
| CON                        | NHPP-IM |        |        |        |        | 30,000 |        |        |        |        |        |        |        |
| CON                        | NHPP-IM |        |        |        |        |        | 30,000 |        |        |        |        |        |        |
| CON                        | NHPP-IM |        |        |        |        |        |        | 30,000 |        |        |        |        |        |
| CON                        | NHPP-IM |        |        |        |        |        |        |        | 20,000 |        |        |        |        |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

|                   |        |         |        |                   |        |         |        |                   |   |   |   |
|-------------------|--------|---------|--------|-------------------|--------|---------|--------|-------------------|---|---|---|
| 29,000            | 28,900 | 30,000  | 40,000 | 30,000            | 30,000 | 30,000  | 20,000 | 0                 | 0 | 0 | 0 |
| Total FY2023-2026 |        | 127,900 |        | Total FY2027-2030 |        | 110,000 |        | Total FY2031-2034 |   | 0 |   |

**MPMS# 79912** *I-95: Allegheny Ave and Castor Ave Interchanges connection (AF2)*

**LIMITS:** Philadelphia County

No Let Date

**MUNICIPALITIES:** Philadelphia City

MRPID:65

**IMPROVEMENT:** Intersection/Interchange Improvements

**FC:** 11

AQ Code:2025M

**PLAN CENTER:**

IPD: 14

**PROJECT MANAGER:** CH2MHill/P. Conti

**CMP:** Major SOV Capacity

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout of AFC (MPMS #47813).

Project includes the local road improvements in support of I-95 AF3 and AF4 (main line I-95). The project will optimize signal timings on the local roadway network including Aramingo Avenue, Allegheny Avenue, and Castor Avenue; pavement rehabilitation and reconstruction on Delaware Avenue between Castor Avenue and Allegheny Avenue; the additional of auxiliary lanes at the intersections of Aramingo and Ontario and Aramingo and Venango; new traffic signals at the intersections of Allegheny/Bath, Castor Avenue/I-95 ramp. New signals are not interconnected. The project will also include improvements to the Philadelphia Water Department Outfalls from I-95 to the Delaware River to accommodate stormwater management for the reconstruction of I-95. New signing, pavement markings, and lighting will be constructed on Allegheny Avenue, Delaware Avenue, and Castor Avenue which will serve as the connection between the split interchanges (NB interchange at Castor Avenue, SB interchange at Allegheny). Sidewalks, where appropriate, will be included on Allegheny, Delaware and Castor Avenue. A multi-use path is proposed on the north side of Castor Avenue that will extend from Richmond Street to Delaware Avenue is proposed as a connection to the east Coast Greenway trail that currently exists along Delaware and Allegheny Avenues.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design: BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project.

| TIP Program Years (\$ 000) |         |                   |        |        |        |                   |        |        |        |                   |        |        |        |
|----------------------------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| Phase                      | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
| CON                        | NHPP-IM | 8,800             |        |        |        |                   |        |        |        |                   |        |        |        |
|                            |         | 8,800             | 0      | 0      | 0      | 0                 | 0      | 0      | 0      | 0                 | 0      | 0      | 0      |
|                            |         | Total FY2023-2026 |        | 8,800  |        | Total FY2027-2030 |        | 0      |        | Total FY2031-2034 |        | 0      |        |



## Pennsylvania - Interstate Management Program

## Philadelphia

MPMS# 80014 I-95: Cottman On-Ramp (C)

LIMITS: Cottman-Princeton Utility, Philadelphia

No Let Date

MUNICIPALITIES: Philadelphia City

MRPID:65

IMPROVEMENT: Intersection/Interchange Improvements

FC:

AQ Code:S10

PLAN CENTER:

IPD: 21

PROJECT MANAGER: Harold Windisch ADE CONSTR

CMP: Not SOV Capacity Adding

CMP Subcorridor(s): 4B, 5G, 5H

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout of Section CPR (MPMS #47394). This project will construct Ramp F, the southbound I-95 on-ramp from Cottman Avenue.

Utility relocation consists of relocating Philadelphia Water Dept sewer (114"-) main in Wissinoming Street (between Princeton and Bleigh Avenues). Associated roadway work includes pavement reconstruction on: Wissinoming Street, Milnor Street (between New State Rd and Bleigh Avenue) and Bleigh Avenue (between Milnor Street and State Rd). Left turn lanes will be added to SR 73 (New State Road) at Magee Avenue. Additional traffic, bicycle and pedestrian operational improvements will be made on surface streets that are part of the Cottman/Princeton interchange. Additional construction includes 1 retaining wall and traffic signal construction and/or timing modifications at up to 4 locations.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design: BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. Related sections of I-95 Reconstruction: MPMS #'s 47394, 79683 and 79685.

## TIP Program Years (\$ 000)

| Phase | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031 | FY2032            | FY2033 | FY2034 |   |
|-------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|--------|-------------------|--------|--------|---|
| CON   | NHPP-IM | 15,000            |        |        |        |                   |        |        |        |        |                   |        |        |   |
| CON   | NHPP-IM |                   | 15,000 |        |        |                   |        |        |        |        |                   |        |        |   |
| CON   | NHPP-IM |                   |        | 14,000 |        |                   |        |        |        |        |                   |        |        |   |
|       |         | 15,000            | 15,000 | 14,000 | 0      | 0                 | 0      | 0      | 0      | 0      | 0                 | 0      | 0      |   |
|       |         | Total FY2023-2026 |        |        | 44,000 | Total FY2027-2030 |        |        |        | 0      | Total FY2031-2034 |        |        | 0 |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

MPMS# 92289 I-95 Consultant Mgmt

LIMITS: I-95 in Bucks, Delaware, and Philadelphia Counties

No Let Date

MUNICIPALITIES: Various

IMPROVEMENT: Other

FC:

AQ Code:X5

PLAN CENTER:

IPD:

PROJECT MANAGER: EE/E. Elbich

CMP: Not SOV Capacity Adding

Contract to hire a consultant to provide engineering and design assistance to PennDOT to advance necessary projects for I-95 in Bucks, Delaware and Philadelphia Counties.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
|-------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| PE    | NHPP-IM | 1,800             |        |        |        |                   |        |        |        |                   |        |        |        |
| PE    | 581-IM  | 200               |        |        |        |                   |        |        |        |                   |        |        |        |
| PE    | NHPP-IM |                   | 1,800  |        |        |                   |        |        |        |                   |        |        |        |
| PE    | 581-IM  |                   | 200    |        |        |                   |        |        |        |                   |        |        |        |
|       |         | 2,000             | 2,000  | 0      | 0      | 0                 | 0      | 0      | 0      | 0                 | 0      | 0      | 0      |
|       |         | Total FY2023-2026 |        | 4,000  |        | Total FY2027-2030 |        |        |        | Total FY2031-2034 |        |        |        |
|       |         |                   |        |        |        |                   |        |        | 0      |                   |        |        | 0      |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

MPMS# 98207 I-95 Congestion Management

**LIMITS:** I-95 in Bucks, Delaware, and Philadelphia Counties

No Let Date

**MUNICIPALITIES:** Philadelphia City

**IMPROVEMENT:** Intersection/Interchange Improvements

**FC:**

AQ Code:NRS

**PLAN CENTER:**

IPD: 26

**PROJECT MANAGER:** EE/E. Elbich

**CMP:** Not SOV Capacity Adding

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and will provide for Congestion Management Activities related to the reconstruction of I-95 through Bucks, Delaware, and Philadelphia counties. This is to further the ongoing congestion mitigation as the construction activity increases on the corridor. Ongoing mainline work in section BS1 will be followed by upcoming work in sections BS2, GR6, BR3, and AF3, all expected to start in the next five years. Traffic impacts to the mainline are expected throughout the duration of each of those projects. Prior to the COVID-19 pandemic, investment focused on enhancing the capacity of the SEPTA regional rail lines parallel and closest to the I-95 corridor. Improvements included purchase of additional rolling stock and improvements to provide additional parking at regional rail stations. With the decline in regional rail ridership that resulted from the pandemic and public health measures to control it, enhancements to modernize and offer improved customer experience at regional rail stations are vital to entice commuters back to transit services. Continued investments in transit facilities support the broader congestion mitigation strategy for the corridor, including efforts to provide real-time transit and vehicular travel time information on I-95.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design: BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
|-------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| PRA   | NHPP-IM | 12,100            |        |        |        |                   |        |        |        |                   |        |        |        |
| PRA   | NHPP-IM |                   | 12,100 |        |        |                   |        |        |        |                   |        |        |        |
| PRA   | NHPP-IM |                   |        | 12,200 |        |                   |        |        |        |                   |        |        |        |
|       |         | 12,100            | 12,100 | 12,200 | 0      | 0                 | 0      | 0      | 0      | 0                 | 0      | 0      | 0      |
|       |         | Total FY2023-2026 |        | 36,400 |        | Total FY2027-2030 |        | 0      |        | Total FY2031-2034 |        | 0      |        |



# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

**MPMS# 103553** *I-95 Southbound: Race to Shackamaxon (GR6)*

**LIMITS:** I-95 Race St to Shackamaxon South

No Let Date

**MUNICIPALITIES:** Philadelphia City

MRPID:65

**IMPROVEMENT:** Intersection/Interchange Improvements

**FC:**

AQ Code:2035M

**PLAN CENTER:**

IPD: 14

**PROJECT MANAGER:** EE/E. Elbich

**CMP:** Minor SOV Capacity

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout of Section GIR (MPMS #17821). The project provides for the reconstruction, rehabilitation and widening of I-95 southbound between Race Street and Shackamaxon Street and the reconstruction of a portion of the Vine Street interchange ramp connection with I-95. Included in the project are structure rehabilitation, deck replacement, demolition and replacement of nine bridges.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design: BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridor Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. A final alternative for bridge rehabilitation or replacement is determined upon federal national Environmental Policy Act (NEPA) or state Categorical Exclusion clearance. Related sections of I-95 Reconstruction: MPMS #'s 17821, 80094, 79685, 83640, 79826, 79828, 102305.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023                   | FY2024        | FY2025         | FY2026        | FY2027                   | FY2028        | FY2029         | FY2030        | FY2031                   | FY2032   | FY2033        | FY2034   |
|-------|---------|--------------------------|---------------|----------------|---------------|--------------------------|---------------|----------------|---------------|--------------------------|----------|---------------|----------|
| ROW   | NHPP-IM | 9,000                    |               |                |               |                          |               |                |               |                          |          |               |          |
| ROW   | 581-IM  | 1,000                    |               |                |               |                          |               |                |               |                          |          |               |          |
| ROW   | NHPP-IM |                          | 4,500         |                |               |                          |               |                |               |                          |          |               |          |
| ROW   | 581-IM  |                          | 500           |                |               |                          |               |                |               |                          |          |               |          |
| UTL   | NHPP-IM | 4,500                    |               |                |               |                          |               |                |               |                          |          |               |          |
| UTL   | 581-IM  | 500                      |               |                |               |                          |               |                |               |                          |          |               |          |
| CON   | BRIP-IM | 23,478                   |               |                |               |                          |               |                |               |                          |          |               |          |
| CON   | BRIP-IM |                          | 20,000        |                |               |                          |               |                |               |                          |          |               |          |
| CON   | NHPP-IM |                          |               | 30,000         |               |                          |               |                |               |                          |          |               |          |
| CON   | NHPP-IM |                          |               |                | 30,000        |                          |               |                |               |                          |          |               |          |
| CON   | NHPP-IM |                          |               |                |               | 30,000                   |               |                |               |                          |          |               |          |
| CON   | NHPP-IM |                          |               |                |               |                          | 30,000        |                |               |                          |          |               |          |
| CON   | NHPP-IM |                          |               |                |               |                          |               | 30,000         |               |                          |          |               |          |
| CON   | NHPP-IM |                          |               |                |               |                          |               |                | 30,000        |                          |          |               |          |
| CON   | NHPP-IM |                          |               |                |               |                          |               |                |               | 37,522                   |          |               |          |
|       |         | <b>38,478</b>            | <b>25,000</b> | <b>30,000</b>  | <b>30,000</b> | <b>30,000</b>            | <b>30,000</b> | <b>30,000</b>  | <b>30,000</b> | <b>37,522</b>            | <b>0</b> | <b>0</b>      | <b>0</b> |
|       |         | <b>Total FY2023-2026</b> |               | <b>123,478</b> |               | <b>Total FY2027-2030</b> |               | <b>120,000</b> |               | <b>Total FY2031-2034</b> |          | <b>37,522</b> |          |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

**MPMS# 103555** **I-95 Corridor ITS (GR8)**

**LIMITS:** I-95 Corridor in the City of Philadelphia

No Let Date

**MUNICIPALITIES:** Philadelphia City

MRPID:65

**IMPROVEMENT:** Signal/ITS Improvements

**FC:**

AQ Code:2035M

**PLAN CENTER:** Suburban Center

IPD: 30

**PROJECT MANAGER:** CONSTR

**CMP:** Minor SOV Capacity

**CMP Subcorridor(s):** 5G, 5H

Traffic signal interconnection and implementation of ITS devices along the US-1/Roosevelt Boulevard from 9th Street to Woodhaven Road in Philadelphia. ITS devices are used to control the flow of traffic and may include but are not limited to tag readers, CCTV cameras, dynamic/variable message signs (DMS/VMS), and variable speed limit system, which will be installed along the US-1/Roosevelt Boulevard and the roadway section that leads to the I-95 Corridor. Gaps in fiber connectivity will be addressed as necessary.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design:BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

|       |         | TIP Program Years (\$ 000) |        |        |        |                   |        |        |        |                   |        |        |        |
|-------|---------|----------------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| Phase | Fund    | FY2023                     | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
| CON   | NHPP-IM | 13,000                     |        |        |        |                   |        |        |        |                   |        |        |        |
| CON   | NHPP-IM |                            | 10,000 |        |        |                   |        |        |        |                   |        |        |        |
|       |         | 13,000                     | 10,000 | 0      | 0      | 0                 | 0      | 0      | 0      | 0                 | 0      | 0      | 0      |
|       |         | Total FY2023-2026          |        | 23,000 |        | Total FY2027-2030 |        |        |        | Total FY2031-2034 |        |        |        |
|       |         |                            |        |        |        | 0                 |        |        |        | 0                 |        |        |        |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

MPMS# 103556 I-95 ATMS (GR9)

LIMITS: I-95 Corridor

No Let Date

MUNICIPALITIES: Philadelphia City

IMPROVEMENT: Signal/ITS Improvements

FC:

AQ Code:S7

PLAN CENTER:

IPD: 26

PROJECT MANAGER: EE/E. Elbich

CMP: Minor SOV Capacity

CMP Subcorridor(s): 4B

This is a line item for various Active Traffic Management System (ATMS) components, such as Variable Speed Limits, Advanced Signal Systems, and Adaptive Ramp Metering. ATMS will be used to integrate technology to improve the flow of vehicle traffic and improve safety on the I-95 corridor.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design:BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
|-------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| UTL   | 581-IM  |                   |        |        |        |                   |        | 1,400  |        |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        |                   |        |        | 40,000 |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        |                   |        |        |        | 36,000            |        |        |        |
|       |         | 0                 | 0      | 0      | 0      | 0                 | 0      | 1,400  | 40,000 | 36,000            | 0      | 0      | 0      |
|       |         | Total FY2023-2026 |        |        | 0      | Total FY2027-2030 |        |        | 41,400 | Total FY2031-2034 |        |        | 36,000 |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

MPMS# 103557 I-95 Northbound: Ann Street to Wheetshaeaf Lane (AF3)

LIMITS: I-95 Allegheny Ave. South of Frankford Creek

No Let Date

MUNICIPALITIES: Philadelphia City

MRPID:65

IMPROVEMENT: Intersection/Interchange Improvements

FC:

AQ Code:2035M

PLAN CENTER:

IPD: 20

PROJECT MANAGER: CH2MHill/P. Conti

CMP: Major SOV Capacity

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout of AFC (MPMS #47813).

Project will reconstruct I-95 from Clearfield Street to Wheetshaeaf Lane, including reconstruction of the NB off-ramp to the Betsy Ross Bridge over Castor Avenue, reconstruction of the NB on-ramp from Castor Avenue, removal of the NB off-ramp at Westmoreland Street, and construction of a new NB off-ramp at Castor Avenue. I-95 traffic will be maintained on 3 lanes NB and 3 lanes SB during peak hours.

This project includes work on the following bridge structures:

\*Westmoreland Viaduct (I-95 NB from Allegheny Avenue to Tioga Street) - Extend viaduct over playground from Westmoreland Street to Allegheny Avenue. Widen and Reconstruct existing NB Structure from Westmoreland Street to Tioga Street.

\*I-95 NB over Venango Street - Total Replacement

\*I-95 NB over Castor Avenue - Total Replacement

\*I-95 NB over Richmond Street - Total Replacement

\*I-95 NB over Wheetshaeaf Lane - Total Replacement

\*Betsy Ross Ramp A Viaduct (NB) - Total Replacement

Also included is construction of associated retaining walls, sound barrier walls, and roadway on fill sections. The proposed I-95 will have 5 lanes northbound (4 through lanes and a collector-distributor lane) and 5 lanes southbound (4 through lanes and a collector-distributor lane). New ramp movements are not being created, but are being relocated. The existing disjointed interchange will be reconfigured into split interchanges (a NB interchange at Castor Avenue, and a SB interchange at Allegheny Avenue).

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design:BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023 | FY2024 | FY2025 | FY2026 | FY2027 | FY2028 | FY2029 | FY2030 | FY2031 | FY2032 | FY2033 | FY2034 |
|-------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| ROW   | NHPP-IM | 4,050  |        |        |        |        |        |        |        |        |        |        |        |
| ROW   | 581-IM  | 450    |        |        |        |        |        |        |        |        |        |        |        |
| ROW   | NHPP-IM |        | 4,050  |        |        |        |        |        |        |        |        |        |        |
| ROW   | 581-IM  |        | 450    |        |        |        |        |        |        |        |        |        |        |
| UTL   | NHPP-IM | 1,890  |        |        |        |        |        |        |        |        |        |        |        |
| UTL   | 581-IM  | 210    |        |        |        |        |        |        |        |        |        |        |        |
| CON   | NHPP-IM |        |        | 35,000 |        |        |        |        |        |        |        |        |        |
| CON   | NHPP-IM |        |        |        | 30,000 |        |        |        |        |        |        |        |        |
| CON   | NHPP-IM |        |        |        |        | 30,000 |        |        |        |        |        |        |        |
| CON   | NHPP-IM |        |        |        |        |        | 30,000 |        |        |        |        |        |        |

Pennsylvania - Interstate Management Program

| Philadelphia |         |                   |       |        |        |                   |        |        |         |                   |   |   |        |
|--------------|---------|-------------------|-------|--------|--------|-------------------|--------|--------|---------|-------------------|---|---|--------|
| CON          | NHPP-IM |                   |       |        |        | 30,000            |        |        |         |                   |   |   |        |
| CON          | NHPP-IM |                   |       |        |        |                   |        |        |         | 30,000            |   |   |        |
| CON          | NHPP-IM |                   |       |        |        |                   |        |        |         | 36,000            |   |   |        |
|              |         | 6,600             | 4,500 | 35,000 | 30,000 | 30,000            | 30,000 | 30,000 | 30,000  | 36,000            | 0 | 0 | 0      |
|              |         | Total FY2023-2026 |       |        | 76,100 | Total FY2027-2030 |        |        | 120,000 | Total FY2031-2034 |   |   | 36,000 |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

**MPMS# 103558** **I-95 Southbound: Ann Street to Wicketsheaf Lane (AF4)**

**LIMITS:** I-95 Ann St to Frankford Crk Interchange SB

No Let Date

**MUNICIPALITIES:** Philadelphia City

MRPID:65

**IMPROVEMENT:** Intersection/Interchange Improvements

**FC:**

AQ Code:2035M

**PLAN CENTER:**

IPD: 20

**PROJECT MANAGER:** CH2MHill/P. Conti

**CMP:** Major SOV Capacity

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout of AFC (MPMS #47813).

Project will reconstruct I-95 from Clearfield Street to Wicketsheaf Lane, including reconstruction of the SB on-ramp and SB off-ramp at Allegheny Avenue. I-95 traffic will be maintained on 3 lanes NB and 3 lanes SB during peak hours.

This project includes work on the following bridge structures:

\*Westmoreland Viaduct (I-95 SB from Allegheny Avenue to Tioga Street) - Extend viaduct over playground from Westmoreland Street to Allegheny Avenue. Replace the existing SB Structure from Westmoreland Street to Tioga Street.

\*I-95 SB over Venango Street - Total Replacement

\*I-95 SB over Castor Avenue - Total Replacement

\*I-95 SB over Richmond Street - Total Replacement

\*I-95 SB over Wicketsheaf Lane - Total Replacement

\*Ramp E over playground - New Bridge

Also included is construction of associated retaining walls, sound barrier walls, and roadway on fill sections. The proposed I-95 will have 5 lanes northbound (4 through lanes and a collector-distributor lane) and 5 lanes southbound (4 through lanes and a collector-distributor lane). New ramp movements are not being created, but are being relocated. The existing disjointed interchange will be reconfigured into split interchanges (a NB interchange at Castor Avenue, and a SB interchange at Allegheny Avenue).

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design:BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative.

Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project.

| TIP Program Years (\$ 000) |         |        |        |        |        |        |        |        |        |        |        |        |        |
|----------------------------|---------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|--------|
| Phase                      | Fund    | FY2023 | FY2024 | FY2025 | FY2026 | FY2027 | FY2028 | FY2029 | FY2030 | FY2031 | FY2032 | FY2033 | FY2034 |
| ROW                        | 581-IM  |        |        |        |        |        | 600    |        |        |        |        |        |        |
| UTL                        | 581-IM  |        |        |        |        | 600    |        |        |        |        |        |        |        |
| CON                        | NHPP-IM |        |        |        |        |        |        | 40,000 |        |        |        |        |        |
| CON                        | NFP-IM  |        |        |        |        |        |        |        | 60,360 |        |        |        |        |
| CON                        | NHPP-IM |        |        |        |        |        |        |        |        | 99,700 |        |        |        |

Pennsylvania - Interstate Management Program

Philadelphia

|                   |   |   |   |   |                   |     |         |        |                   |   |        |   |
|-------------------|---|---|---|---|-------------------|-----|---------|--------|-------------------|---|--------|---|
|                   | 0 | 0 | 0 | 0 | 600               | 600 | 40,000  | 60,360 | 99,700            | 0 | 0      | 0 |
| Total FY2023-2026 |   |   |   | 0 | Total FY2027-2030 |     | 101,560 |        | Total FY2031-2034 |   | 99,700 |   |



## Pennsylvania - Interstate Management Program

## Philadelphia

MPMS# 103559 I-95: Betsy Ross Mainline Southbound (BR4)

## LIMITS:

No Let Date

MUNICIPALITIES: Philadelphia City

MRPID:65

IMPROVEMENT: Intersection/Interchange Improvements

FC:

AQ Code:2035M

## PLAN CENTER:

IPD: 21

PROJECT MANAGER: AECOM/P. Shultes

CMP: Major SOV Capacity

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout of Section BRI (MPMS #47812).

Project includes the southbound mainline construction from Wheatshaf Lane to SR 0095 north of Margaret St. This contract will also remove the southbound collector/distributor and ramp which connects Aramingo Avenue, Harbison Avenue, Tacony Street and Bridge Street to I-95 southbound and the Betsy Ross Bridge. This traffic will be redirected to the ramps completed in the I-95 BR0 (MPMS #79903) project. This includes the demolition and/or replacement of numerous structures including new bridges for I-95 southbound over Frankford Creek, Orthodox Street and Margaret Street. A significant portion of the southbound mainline that currently is supported on structure will be removed and replaced with a geotechnically supported pavement using compensating fill and/or column supported embankment. This will eliminate approximately 176,500 SF of SD bridge deck. The existing Conrail rail siding that services the AdvanSix Chemical plant will be relocated. Local street landscaping and lighting will be incorporated in consultation with the Bridesburg community. PWD facility upgrades are anticipated to carry a portion of the mainline drainage to the Frankford Creek Outfall near Bridge Street. See MPMS #47812 for an overall description of the SR 95 Section BRI section.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design: BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. A final alternative for bridge rehabilitation or replacement is determined upon federal National Environmental Policy Act (NEPA) or state Categorical Exclusion clearance. Related sections of I-95 Reconstruction: MPMS #'s 47812, 79903, 79904, 79905, 103559, 103560 and 103561.

## TIP Program Years (\$ 000)

| Phase | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030  | FY2031            | FY2032 | FY2033 | FY2034 |
|-------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|---------|-------------------|--------|--------|--------|
| UTL   | 581-IM  |                   |        |        | 600    |                   |        |        |         |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        | 30,000            |        |        |         |                   |        |        |        |
| CON   | NFP-IM  |                   |        |        |        |                   | 60,360 |        |         |                   |        |        |        |
| CON   | NFP-IM  |                   |        |        |        |                   |        | 60,360 |         |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        |                   |        |        | 39,300  |                   |        |        |        |
|       |         | 0                 | 0      | 0      | 600    | 30,000            | 60,360 | 60,360 | 39,300  | 0                 | 0      | 0      | 0      |
|       |         | Total FY2023-2026 |        |        | 600    | Total FY2027-2030 |        |        | 190,020 | Total FY2031-2034 |        |        | 0      |



# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

**MPMS# 103560** **I-95: Betsy Ross Section Conrail Bridges (BR5)**

**LIMITS:** Conrail bridges over I-95, Thompson St, and Ramps A & C

No Let Date

**MUNICIPALITIES:** Philadelphia City

MRPID:65

**IMPROVEMENT:** Bridge Repair/Replacement

**FC:**

AQ Code:S19

**PLAN CENTER:**

IPD: 20

**PROJECT MANAGER:** AECOM/P. Shultes

**CMP:** Not SOV Capacity Adding

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout of Section BRI (MPMS #47812).

The BR5 section is a part of the I-95 Reconstruction, SR 0095 Section BRI, also known as the Betsy Ross Interchange. The Section BR5 project includes construction for the replacement, removal, or rehabilitation of the Conrail bridges over I-95, Thompson Street, and Ramps A & C, as well as associated track, signal and communication work required.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design:BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. Related sections of I-95 Reconstruction: MPMS #'s 47812, 79903, 79904, 79905, 103559, 103560 and 103561.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
|-------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| ROW   | 581-IM  |                   |        |        | 2,200  |                   |        |        |        |                   |        |        |        |
| UTL   | 581-IM  |                   |        | 1,500  |        |                   |        |        |        |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        | 23,000            |        |        |        |                   |        |        |        |
| CON   | NHPP-IM |                   |        |        |        |                   | 23,000 |        |        |                   |        |        |        |
|       |         | 0                 | 0      | 1,500  | 2,200  | 23,000            | 23,000 | 0      | 0      | 0                 | 0      | 0      | 0      |
|       |         | Total FY2023-2026 |        | 3,700  |        | Total FY2027-2030 |        | 46,000 |        | Total FY2031-2034 |        | 0      |        |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

MPMS# 103561 I-95: Betsy Ross Interchange Drainage (BR6)

LIMITS: In the City of Philadelphia

No Let Date

MUNICIPALITIES: Philadelphia City

MRPID:65

IMPROVEMENT: Intersection/Interchange Improvements

FC:

AQ Code:S2

PLAN CENTER:

IPD: 14

PROJECT MANAGER: AECOM/P. Shultes

CMP: Not SOV Capacity Adding

CMP Subcorridor(s): 4B

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout of Section BRI (MPMS #47812).

The BR6 section is a part of the I-95 Reconstruction, SR 0095 Section BRI, also known as the Betsy Ross Interchange section. This phase of SR 95 Section BRI is for drainage and stormwater management improvements to comply with Philadelphia Water Department requirements. This section includes additional stormwater outfalls to Frankford Creek as may become necessary.

For an overall description of the SR 95 Section BRI section, see MPMS #47812.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design:BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project. Related sections of I-95 Reconstruction: MPMS #'s 47812, 79903, 79904, 79905, 103559, 103560 and 115687.

#### TIP Program Years (\$ 000)

| Phase | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
|-------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| CON   | NHPP-IM |                   |        |        |        |                   | 8,100  |        |        |                   |        |        |        |
|       |         | 0                 | 0      | 0      | 0      | 0                 | 8,100  | 0      | 0      | 0                 | 0      | 0      | 0      |
|       |         | Total FY2023-2026 |        |        | 0      | Total FY2027-2030 |        |        | 8,100  | Total FY2031-2034 |        |        | 0      |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

MPMS# 107709 I-95 Bridge Repairs (95/MB4)

LIMITS: I-95 Corridor

No Let Date

MUNICIPALITIES: Philadelphia City

IMPROVEMENT: Bridge Repair/Replacement

FC:

AQ Code:S19

PLAN CENTER:

IPD: 23

PROJECT MANAGER: HNTB/N.Velaga

CMP: Not SOV Capacity Adding

The I-95 Section MB4 project includes the repair of 12 structures along the I-95 corridor including 2 structures in Bucks County, 2 in Delaware County and 8 in Philadelphia. Typical repairs include replacement/repair of leaking deck joints, rehabilitation of bearings, repair of structure drainage features, replace under bridge lighting, substructure concrete repair, beam end repairs and deck overlay to extend the life of these structures by a minimum of 15 years. Additionally, this project includes repair or replacement of high mast lighting poles on I-95 located near the Philadelphia Airport. 10 of the 12 structures will require additional repairs such as substructure concrete and beam repairs, replacements of leaking deck expansion joints and frozen sliding plate bearing.

A final alternative for bridge rehabilitation or replacement is determined upon federal National Environmental Policy Act (NEPA) or state Categorical Exclusion clearance.

| TIP Program Years (\$ 000) |         |                   |        |        |        |                   |        |        |        |                   |        |        |        |
|----------------------------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| Phase                      | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
| CON                        | NHPP-IM | 4,590             |        |        |        |                   |        |        |        |                   |        |        |        |
| CON                        | 185-IM  | 510               |        |        |        |                   |        |        |        |                   |        |        |        |
|                            |         | 5,100             | 0      | 0      | 0      | 0                 | 0      | 0      | 0      | 0                 | 0      | 0      | 0      |
|                            |         | Total FY2023-2026 |        | 5,100  |        | Total FY2027-2030 |        | 0      |        | Total FY2031-2034 |        | 0      |        |

MPMS# 112299 I-76: Rte 1- I 676 Paving/Guiderail

LIMITS: Route 1 to I-676

No Let Date

MUNICIPALITIES: Philadelphia City

MRPID:TBD

IMPROVEMENT: Roadway Rehabilitation

FC:

AQ Code:S10

PLAN CENTER:

IPD:

PROJECT MANAGER: Plans/S. Hasan

CMP: Not SOV Capacity Adding

Pavement preservation and guiderail upgrades on I-76 (Schuylkill Expressway) from Route 1 to I-676 (Vine St. Expressway) in the City of Philadelphia, Philadelphia County.

| TIP Program Years (\$ 000) |         |                   |        |        |        |                   |        |        |        |        |                   |        |        |   |  |
|----------------------------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|--------|-------------------|--------|--------|---|--|
| Phase                      | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031 | FY2032            | FY2033 | FY2034 |   |  |
| CON                        | NHPP-IM | 20,000            |        |        |        |                   |        |        |        |        |                   |        |        |   |  |
| CON                        | NHPP-IM |                   | 20,575 |        |        |                   |        |        |        |        |                   |        |        |   |  |
|                            |         | 20,000            | 20,575 | 0      | 0      | 0                 | 0      | 0      | 0      | 0      | 0                 | 0      | 0      |   |  |
|                            |         | Total FY2023-2026 |        | 40,575 |        | Total FY2027-2030 |        |        | 0      |        | Total FY2031-2034 |        |        | 0 |  |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

MPMS# 114876 *Studies Line Item*

LIMITS: City of Philadelphia

No Let Date

MUNICIPALITIES: Philadelphia City

IMPROVEMENT: Other

FC:

AQ Code:X1

PLAN CENTER:

IPD:

PROJECT MANAGER: Chuck Davies ADE Design

CMP: Not Yet Determined

This Line Item sets aside funding to address the following studies that will be addressed:

#### 113762 Broad Street Interchange

This work is the planning and project development activities for the given limits on the I-95 mainline at the Interchange (SR 8001) with Broad Street (SR 0611) from the northern approach to the Girard Point Bridge to Lawrence Street in the City of Philadelphia that will have been identified as integral to the reconstruction of the I-95 mainline in the (MPMS 104243) I-95 Conceptual Study. That study has established limits of design and construction sections, determined a sequence of delivery based on site and asset conditions as well as related issues on a corridor level. This project will be more specific and detailed analysis and project development of a preferred alternative of what will ultimately lead to preliminary engineering and environmental clearance.

#### 113763 Walt Whitman Bridge Interchange

This work is the planning and project development activities for the given limits on the I-95 mainline from Lawrence Street to Snyder Avenue at the Walt Whitman Interchange (SR 8003) with I-76 in the City of Philadelphia that will have been identified as integral to the reconstruction of the I-95 mainline in the (MPMS 104243) I-95 Conceptual Study. That study has established limits of design and construction sections, determined a sequence of delivery based on site and asset conditions as well as related issues on a corridor level. This project will be more specific and detailed analysis and project development of a preferred alternative of what will ultimately lead to preliminary engineering and environmental clearance.

#### 113764 Penn's Landing Interchange

This work is the planning and project development activities for the given limits on the I-95 mainline from Snyder Avenue to Spring Garden Street at the Penn's Landing Interchange (SR 8007) with Christopher Columbus Boulevard (SR 2001) in the City of Philadelphia that will have been identified as integral to the reconstruction of the I-95 mainline in the (MPMS 104243) I-95 Conceptual Study. That study has established limits of design and construction sections, determined a sequence of delivery based on site and asset conditions as well as related issues on a corridor level. This project will be more specific and detailed analysis and project development of a preferred alternative of what will ultimately lead to preliminary engineering and environmental clearance.

#### 113765 Christopher Columbus Boulevard Offline

This work is the planning and project development activities for the given limits on Christopher Columbus Boulevard (SR 2001) from Spring Garden Street to Oregon Avenue and selected local connecting streets in the City of Philadelphia that will have been identified as integral to the reconstruction of the I-95 mainline in the (MPMS 104243) I-95 Conceptual Study. That study has established limits of design and construction sections, determined a sequence of delivery based on site and asset conditions as well as related issues on a corridor level. This project will be more specific and detailed analysis and project development of a preferred alternative of what will ultimately lead to preliminary engineering and environmental clearance.

### TIP Program Years (\$ 000)

| Phase             | Fund    | FY2023 | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
|-------------------|---------|--------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| STUD              | NHPP-IM | 2,000  |        |        |        |                   |        |        |        |                   |        |        |        |
| STUD              | NHPP-IM |        | 2,000  |        |        |                   |        |        |        |                   |        |        |        |
| STUD              | NHPP-IM |        |        | 2,000  |        |                   |        |        |        |                   |        |        |        |
| STUD              | NHPP-IM |        |        |        | 2,000  |                   |        |        |        |                   |        |        |        |
|                   |         | 2,000  | 2,000  | 2,000  | 2,000  | 0                 | 0      | 0      | 0      | 0                 | 0      | 0      | 0      |
| Total FY2023-2026 |         |        |        | 8,000  |        | Total FY2027-2030 |        |        | 0      | Total FY2031-2034 |        |        | 0      |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

**MPMS# 115687** *I-95: Allegheny & Castor Ave Int.*

**LIMITS:** Philadelphia County

No Let Date

**MUNICIPALITIES:** Philadelphia City

**IMPROVEMENT:** Other

**FC:**

AQ Code:2025M

**PLAN CENTER:**

IPD:

**PROJECT MANAGER:** CH2MHill/P. Conti

**CMP:** Major SOV Capacity

This project is for the ROW acquisition and separation out from the parent project (MPMS #79912) of four (4) commercial parcels. The separation of the commercial properties was done so that the ROW clearance for MPMS #79912 could be given and the project could be advertised. The project was then on hold until the commercial parcels are fully acquired before issuing ROW clearance for MPMS #115687.

This project is a component of the Statewide Interstate Management Program (IMP) and is a construction breakout of AFC (MPMS #47813).

The project includes the local road improvements in support of I-95 AF3 and AF4 (main line I-95). The project will optimize signal timings on the local roadway network including Aramingo Avenue, Allegheny Avenue, and Castor Avenue; pavement rehabilitation and reconstruction on Delaware Avenue between Castor Avenue and Allegheny Avenue; the additional of auxiliary lanes at the intersections of Aramingo and Ontario and Aramingo and Venango; new traffic signals at the intersections of Allegheny/Bath, Castor Avenue/I-95 ramp. New signals are not interconnected. The project will also include improvements to the Philadelphia Water Department Outfalls from I-95 to the Delaware River to accommodate stormwater management for the reconstruction of I-95. New signing, pavement markings, and lighting will be constructed on Allegheny Avenue, Delaware Avenue, and Castor Avenue which will serve as the connection between the split interchanges (NB interchange at Castor Avenue, SB interchange at Allegheny). Sidewalks will be included on Allegheny, Delaware and Castor and Bicycle Facilities will be improved along Castor Avenue.

An investment of more than \$2.7 billion will provide for the repair, reconstruction and restoration of I-95, a major facility built in the 1960's which runs through Bucks, Philadelphia, and Delaware Counties in the DVRPC region. Current construction efforts in Philadelphia, are addressing critical repairs on aging bridges and interchanges, and improve traffic flow, along the approximately eight miles of I-95 between I-676/Vine Street and Cottman Avenue (Sector A), by adding new ramps and creating a more consistent four-lane highway in both directions by eliminating lane-drops and providing continuous lanes connecting the on-off ramps. Appropriate pedestrian, bicycle, and transit facilities may also be expanded depending on the context of the construction section. The reconstruction of I-95 has been broken out to over 20 separate MPMS #'s, some of which appear in the Interstate Management Program, which is strictly for reconstruction components, and some of which appear in the DVRPC Regional TIP. MPMS #'s include: 17821 (Section GIR design: GR0, GR1, GR2, GR3, GR4, GR5, GR6, GR7), 47394 (Section CPR design: CP1, CP2), 47811 (Section BSR design: BS1, BS2, BS3), 47812 (Section BRI design: BR0, BR2, BR3), 47813 (Section AFC design: AF1, AF2), 79683 (Section CP1 construction), 79685 (Section CP2 construction), 79686 (Section GR1 construction), 79826 (Section GR3 construction), 79827 (Section GR4 construction), 79828 (Section GR5 construction), 79903 (Section BR0 construction), 79904 (Section BR2 construction), 79905 (Section BR3 construction), 79908 (Section BS1 construction), 79910 (Section BS2 construction), 79911 (Section AF1 construction), 79912 (Section AF2 construction), 80094 (Section GR0 construction), 83640 (Section GR2 construction), 87784 (Section BS3 construction), 98207 (I95 Congestion Management), 103553 (Section GR6 Construction), 103554 (Section GR7 construction), 103555 (Section GR8 construction), 102309 (I95 Corridor Drainage). Please refer to the DVRPC I-95 Reconstruction Project in Philadelphia Roadmap in the TIP for additional information about the various sections and corresponding MPMS#'s as well as notations on future and previous projects which may not currently be active and do not appear in the IMP or TIP.

This project is integral to the Delaware Valley Freight Corridors Initiative. Project CMP (Congestion Management Process) commitments include strategies such as improvements for transit users, bicyclists, pedestrians, and drivers on the existing road network (operations). See DVRPC's 2007 and 2010 annual memoranda on supplemental CMP strategies for details related to this project.

| TIP Program Years (\$ 000) |         |                   |        |        |        |                   |        |        |        |                   |        |        |        |
|----------------------------|---------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| Phase                      | Fund    | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
| ROW                        | NHPP-IM | 15,000            |        |        |        |                   |        |        |        |                   |        |        |        |
| ROW                        | NHPP-IM |                   | 20,000 |        |        |                   |        |        |        |                   |        |        |        |
| ROW                        | NHPP-IM |                   |        | 10,000 |        |                   |        |        |        |                   |        |        |        |
|                            |         | 15,000            | 20,000 | 10,000 | 0      | 0                 | 0      | 0      | 0      | 0                 | 0      | 0      | 0      |
|                            |         | Total FY2023-2026 |        |        | 45,000 | Total FY2027-2030 |        |        | 0      | Total FY2031-2034 |        |        | 0      |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

MPMS# 115805 I-95 Brdg Rehab: Island Ave-Phila Navy Yard

LIMITS: I-95 between Island Avenue and Phila. Navy Yard

No Let Date

MUNICIPALITIES: Philadelphia City

IMPROVEMENT: Bridge Repair/Replacement

FC:

AQ Code:S19

PLAN CENTER:

IPD:

PROJECT MANAGER: HNTB/N. Velaga

CMP: Not SOV Capacity Adding

The purpose of this project is to perform comprehensive bridge rehabilitation activities on twenty bridges carrying Interstate 95 between Island Avenue and the Philadelphia Navy Yard in Philadelphia, PA. This is roughly a 5 mile stretch which includes the Girard Point Bridge (Interstate 95 over the Schuylkill River) and the approach structures to the bridge including mainline Interstate 95 bridges and on and off ramps. The rehabilitation will increase the remaining service life of the structures and will provide an overall NBIS bridge condition rating of "good". The bridge rehabilitation will include the following: latex modified concrete deck overlays, painting of structural steel, steel repairs, jacking and bearing repairs and replacements, substructure repairs (including the installation of a fender system on Pier 8 of the Girard Point Bridge, presently there is none provided) and joint replacement and repairs.

| TIP Program Years (\$ 000) |         |        |        |         |         |                   |         |         |        |                   |        |        |        |
|----------------------------|---------|--------|--------|---------|---------|-------------------|---------|---------|--------|-------------------|--------|--------|--------|
| Phase                      | Fund    | FY2023 | FY2024 | FY2025  | FY2026  | FY2027            | FY2028  | FY2029  | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
| CON                        | MBP3-IM |        |        | 125,000 |         |                   |         |         |        |                   |        |        |        |
| CON                        | MBP3-IM |        |        |         | 125,000 |                   |         |         |        |                   |        |        |        |
| CON                        | MBP3-IM |        |        |         |         | 125,000           |         |         |        |                   |        |        |        |
| CON                        | MBP3-IM |        |        |         |         |                   | 125,000 |         |        |                   |        |        |        |
|                            |         | 0      | 0      | 125,000 | 125,000 | 125,000           | 125,000 | 0       | 0      | 0                 | 0      | 0      | 0      |
| Total FY2023-2026          |         |        |        | 250,000 |         | Total FY2027-2030 |         | 250,000 |        | Total FY2031-2034 |        | 0      |        |

MPMS# 116391 I-95 Bridge Rehabilitations

New

I-95 Bridge Rehabilitations

LIMITS:

No Let Date

MUNICIPALITIES: Philadelphia City

IMPROVEMENT: Bridge Repair/Replacement

FC:

AQ Code:S19

PLAN CENTER:

IPD:

PROJECT MANAGER: HNTB/N. Velaga

CMP: Not SOV Capacity Adding

The 95-MB5 Bridge Rehabilitation project will consist of repairs to structures on I-95 mainline and ramps in the City of Philadelphia between Penn's Landing and Broad Street. Typical construction activities will include deck repairs, replacement and/or elimination of expansion deck joints with link slabs, replacement and/or repair of bearings and bearing pedestals, substructure concrete repairs, beam end repairs, and painting of structural steel. The proposed improvements will keep the bridges in "Fair" condition extending their service life. In addition, select overhead sign structures will be replaced and select integral steel box girder pier caps will be rehabilitated on interstates within District 6.

| TIP Program Years (\$ 000) |        |                   |        |        |        |                   |        |        |        |                   |        |        |        |
|----------------------------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| Phase                      | Fund   | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
| CON                        | 185-IM |                   |        |        | 15,000 |                   |        |        |        |                   |        |        |        |
| CON                        | 185-IM |                   |        |        |        | 17,000            |        |        |        |                   |        |        |        |
|                            |        | 0                 | 0      | 0      | 15,000 | 17,000            | 0      | 0      | 0      | 0                 | 0      | 0      | 0      |
|                            |        | Total FY2023-2026 |        |        | 15,000 | Total FY2027-2030 |        |        | 17,000 | Total FY2031-2034 |        |        | 0      |

# DVRPC FY2023-2026 TIP for PA

Final Version

## Pennsylvania - Interstate Management Program

### Philadelphia

MPMS# 117881 Post IDA Study on D6 Transportation Infrastructure

LIMITS: Districtwide

No Let Date

MUNICIPALITIES: Various

MRPID:R6.07

IMPROVEMENT: Other

FC:

AQ Code:X1

PLAN CENTER:

IPD:

PROJECT MANAGER: AECOM/S. Finan

CMP:

This project will study of Effects and System Failures on District 6 Transportation Infrastructure During Hurricane Ida.

| TIP Program Years (\$ 000) |        |                   |        |        |        |                   |        |        |        |                   |        |        |        |
|----------------------------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|-------------------|--------|--------|--------|
| Phase                      | Fund   | FY2023            | FY2024 | FY2025 | FY2026 | FY2027            | FY2028 | FY2029 | FY2030 | FY2031            | FY2032 | FY2033 | FY2034 |
| STUD                       | 581-IM | 400               |        |        |        |                   |        |        |        |                   |        |        |        |
|                            |        | 400               | 0      | 0      | 0      | 0                 | 0      | 0      | 0      | 0                 | 0      | 0      | 0      |
|                            |        | Total FY2023-2026 |        |        |        | Total FY2027-2030 |        |        |        | Total FY2031-2034 |        |        |        |
|                            |        | 400               |        |        |        | 0                 |        |        |        | 0                 |        |        |        |

| Total For    | 2023      | 2024      | 2025      | 2026      | 2023-2026   | 2027-2030   | 2031-2034 |
|--------------|-----------|-----------|-----------|-----------|-------------|-------------|-----------|
| Philadelphia | \$220,125 | \$233,266 | \$345,441 | \$325,800 | \$1,124,632 | \$1,319,440 | \$360,723 |